






| PARTS LIST |     |          |                                    |        |             |         |
|------------|-----|----------|------------------------------------|--------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                   | LENGTH | UNIT WT.    | NET WT. |
| 1          | 4   | SP126    | BASE SHOE PIPE COLUMN              |        | 94.72       | 378.90  |
| 2          | 1   | GRS24    | 24" X 10' GRIP SPAN BRIDGE CHANNEL | 120 in | 91.86       | 91.86   |
| 3          | 2   | FP24     | FOUR POST BRIDGE SUPPORT BRACKET   |        | 15.34       | 30.69   |
| 4          | 4   | PC312    | 3-1/2" FENCE POST CAP              |        | 0.59        | 2.34    |
|            |     |          |                                    |        | TOTAL WT. # | 503.78  |




FINISH:  
HOT DIP GALVANIZED.

|                  |                                     |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                                                                                                                                                                                                                                 |  |  |                                                                                                |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                             |  |                   |  |                |
|------------------|-------------------------------------|--|--|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------------------------------------------------------------------------------------------|--|---------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------|--|-----------------------------|--|-------------------|--|----------------|
|                  |                                     |  |  |     | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |           |                                                                                                                                                                                                                                                 |  |  | <div>DESCRIPTION</div> <div>FOUR POST 24" X 10' GRIP-STRUT<br/>ICE BRIDGE KIT NO TRAPEZE</div> |  |                           |  | <div><div><div>SITE PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |  |                           |  |                             |  |                   |  |                |
|                  |                                     |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                                                                                                                                                                                                                                 |  |  | CPD NO.<br>SP1                                                                                 |  | DRAWN BY<br>CEK 5/20/2011 |  | ENG. APPROVAL<br>9/16/2026                                                                                                                                                                                                                      |  | PART NO.<br>4B24B         |  |                             |  |                   |  |                |
| A                | UPDATED SP126 AND TO SUPER-ASSEMBLY |  |  | SP1 | JJW                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 8/17/2026 | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  |  |                                                                                                |  | CLASS<br>87               |  | SUB<br>02                                                                                                                                                                                                                                       |  | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY<br>JET 9/16/2026 |  | DWG. NO.<br>4B24B |  | PAGE<br>1 OF 3 |
| REV              | DESCRIPTION OF REVISIONS            |  |  | CPD | BY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | DATE      | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  |  |                                                                                                |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                             |  |                   |  |                |
| REVISION HISTORY |                                     |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |                                                                                                                                                                                                                                                 |  |  |                                                                                                |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                             |  |                   |  |                |



| PARTS LIST |     |          |                                  |        |             |         |
|------------|-----|----------|----------------------------------|--------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                 | LENGTH | UNIT WT.    | NET WT. |
| 1          | 1   | X-MPOST  | BASE SHOE PLATE PIPE COLUMN      | 126 in | 92.18       | 92.18   |
| 2          | 4   | SWA585   | 5/8" X 5" STAINLESS WEDGE ANCHOR |        | 0.64        | 2.55    |
|            |     |          |                                  |        | TOTAL WT. # | 91.54   |

|                  |                             |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |                                                                                                |                                                                                                                                                                                                                                                 |  |                                                                                                                                            |                |                           |                            |                             |                |                   |
|------------------|-----------------------------|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------|----------------------------|-----------------------------|----------------|-------------------|
|                  |                             |  |  |  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |     | <div>DESCRIPTION</div> <div>FOUR POST 24" X 10' GRIP-STRUT<br/>ICE BRIDGE KIT NO TRAPEZE</div> |                                                                                                                                                                                                                                                 |  | <div><div><div>SITE PRO 1</div><div>A valmont COMPANY</div></div><div>Engineering Support Team:<br/>sp1engineering@valmont.com</div></div> |                |                           |                            |                             |                |                   |
| A                | SWAPPED X-MPOST FOR X-SP126 |  |  |  | SP1                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | JJW | 8/14/2026                                                                                      | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  |                                                                                                                                            | CPD NO.<br>SP1 | DRAWN BY<br>CEK 5/20/2011 | ENG. APPROVAL<br>9/16/2026 | PART NO.<br>SP126           | 2 OF 3<br>PAGE |                   |
| REV              | DESCRIPTION OF REVISIONS    |  |  |  | CPD                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | BY  | DATE                                                                                           | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  |                                                                                                                                            | CLASS<br>87    | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER  | CHECKED BY<br>JET 9/16/2026 |                | DWG. NO.<br>4B24B |
| REVISION HISTORY |                             |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |                                                                                                |                                                                                                                                                                                                                                                 |  |                                                                                                                                            |                |                           |                            |                             |                |                   |



| PARTS LIST |     |          |                                    |           |             |         |
|------------|-----|----------|------------------------------------|-----------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                   | LENGTH    | UNIT WT.    | NET WT. |
| 2          | 2   | X-UB1358 | 1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT | 5 1/2 in  | 0.82        | 1.64    |
| 3          | 2   | SPLICE   | SPLICE FOR GRIP STRUT              | 7 3/8 in  | 0.53        | 1.06    |
| 4          | 4   | G3803    | 3/8" x 3" HDG HEX BOLT GR5         |           | 0.12        | 0.48    |
| 5          | 4   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT          | 7/8 in    | 0.07        | 0.29    |
| 6          | 4   | G38NUT   | 3/8" HDG HEAVY 2H HEX NUT          |           | 0.03        | 0.14    |
| 7          | 4   | G12FW    | 1/2" HDG USS FLATWASHER            | 3/32 in   | 0.03        | 0.14    |
| 8          | 4   | G38LW    | 3/8" HDG LOCKWASHER                |           | 0.01        | 0.03    |
| 9          | 4   | G38FW    | 3/8" HDG USS FLATWASHER            |           | 0.01        | 0.05    |
| 10         | 4   | G12LW    | 1/2" HDG LOCKWASHER                | 1/8 in    | 0.01        | 0.06    |
| 15         | 1   | X-FP24   | 4 POST SUPPORT BRACKET             | 35 1/2 in | 11.48       | 11.48   |
|            |     |          |                                    |           | TOTAL WT. # | 18.76   |

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

FOUR POST 24" X 10' GRIP-STRUT  
ICE BRIDGE KIT NO TRAPEZE

|         |     |               |  |               |  |
|---------|-----|---------------|--|---------------|--|
| CPD NO. |     | DRAWN BY      |  | ENG. APPROVAL |  |
| SP1     |     | CEK 5/20/2011 |  | 9/16/2026     |  |
| CLASS   | SUB | DRAWING USAGE |  | CHECKED BY    |  |
| 87      | 02  | CUSTOMER      |  | JET 9/16/2026 |  |



A valmont COMPANY

Engineering  
Support Team:  
sp1engineering@valmont.com

|          |       |
|----------|-------|
| PART NO. | FP24  |
| DWG. NO. | 4B24B |