






DETAIL A

DETAIL B

| PARTS LIST |     |               |           |                                        |         |          |             |         |
|------------|-----|---------------|-----------|----------------------------------------|---------|----------|-------------|---------|
| ITEM       | QTY | PART NO.      | BOX NO.   | PART DESCRIPTION                       | LENGTH  | UNIT WT. | NET WT.     |         |
| 1          | 4   | X-CSRT-PADHD  |           | CSRT FOOTPAD WELDMENT HEAVY-DUTY       |         | 43.92    | 175.70      |         |
| 2          | 2   | X-CSRT-P3024  |           | 2-7/8" DIA. PIPE X 24" LONG            | 24 in   | 12.07    | 24.13       |         |
| 3          | 12  | X-CSRT-3048FW |           | CSRT FLANGE PIPE WELDMENT 2-7/8" X 48" |         | 26.85    | 322.15      |         |
| 4          | 16  | X-CSRT-3072FW |           | CSRT FLANGE PIPE WELDMENT 2-7/8" X 72" |         | 39.16    | 626.49      |         |
| 5          | 4   | X-CSRT-3084FW |           | CSRT FLANGE PIPE WELDMENT 2-7/8" X 84" |         | 45.31    | 181.24      |         |
| 6          | 3   | X-CSRT-3096FW |           | CSRT FLANGE PIPE WELDMENT 2-7/8" X 96" |         | 51.47    | 154.40      |         |
| 7          | 2   | X-MCHRB       |           | MEP CORNER HANDRAIL BRACKET            | 5 in    | 10.33    | 20.66       |         |
| 8          | 8   | PUCK          | P-PUCK    | DISK CLAMP KIT                         |         | 6.93     | 55.43       |         |
| 9          | 22  | SCX23-K       | P-SCX23-K | CROSSOVER PLATE KIT 2-7/8" X 2-7/8"    |         | 9.00     | 197.90      |         |
| 11         | 12  | X-UB1300      |           | 1/2 X 3" X 5" X 2" U-BOLT              | 5 in    | 0.74     | 8.86        |         |
| 12         | 76  | G1202         |           | 1/2" x 2" HDG HEX BOLT GR5             | 2 in    | 0.18     | 13.35       |         |
| 13         | 100 | G12LW         |           | 1/2" HDG LOCKWASHER                    | 1/8 in  | 0.01     | 1.39        |         |
| 14         | 100 | G12FW         |           | 1/2" HDG USS FLATWASHER                | 3/32 in | 0.03     | 3.41        |         |
| 15         | 100 | G12NUT        |           | 1/2" HDG HEAVY 2H HEX NUT              | 7/8 in  | 0.07     | 7.16        |         |
| 10         | 3   | PC278         |           | 2 7/8" FENCE POST CAP                  |         | 0.46     | 1.38        |         |
|            |     |               |           |                                        |         |          | TOTAL WT. # | 1748.60 |



FINISH:  
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION  
CONSTRUCTOR-SET ROOF TOP MOUNT -  
DUAL FACE CORNER STYLE  
4 PENETRATING LEGS, 13' FACE, 8 MASTS

|                |           |                           |  |                           |          |
|----------------|-----------|---------------------------|--|---------------------------|----------|
| CPD NO.<br>NCN |           | DRAWN BY<br>DRR 5/18/2026 |  | ENG. APPROVAL<br>6/8/2026 |          |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY<br>JET         | 6/8/2026 |





Engineering  
Support Team:  
sp1engineering@valmont.com

|                             |                |
|-----------------------------|----------------|
| PART NO.<br>CSRT-D4P3-10128 | PAGE<br>1 OF 4 |
| DWG. NO.<br>CSRT-D4P3-10128 |                |



11/16" DIA. THRU  
(TYP. 16 PLACES)

SECTION D-D



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
CONSTRUCTOR-SET ROOF TOP MOUNT -  
DUAL FACE CORNER STYLE  
4 PENETRATING LEGS, 13' FACE, 8 MASTS



|                |           |                           |  |                           |          |
|----------------|-----------|---------------------------|--|---------------------------|----------|
| CPD NO.<br>NCN |           | DRAWN BY<br>DRR 5/18/2026 |  | ENG. APPROVAL<br>6/8/2026 |          |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY<br>JET         | 6/8/2026 |



Engineering  
Support Team:  
sp1engineering@valmont.com

|                             |                |
|-----------------------------|----------------|
| PART NO.<br>CSRT-D4P3-10128 | PAGE<br>2 OF 4 |
| DWG. NO.<br>CSRT-D4P3-10128 |                |


| PARTS LIST  |     |          |                                            |          |          |
|-------------|-----|----------|--------------------------------------------|----------|----------|
| ITEM        | QTY | PART NO. | PART DESCRIPTION                           | LENGTH   | UNIT WT. |
| 1           | 1   | X-127594 | FLAT DISK CLAMP PLATE 4" CENTERS (GALV.)   |          | 2.51     |
| 2           | 2   | SCP      | CLAMP HALF, 1/2" x 5-3/4"                  |          | 1.29     |
| 3           | 2   | G12065   | 1/2" x 6-1/2" HDG HEX BOLT GR5 FULL THREAD | 6 1/2 in | 0.41     |
| 4           | 2   | G1204    | 1/2" x 4" HDG HEX BOLT GR5 FULL THREAD     | 4 in     | 0.27     |
| 5           | 4   | G12FW    | 1/2" HDG USS FLATWASHER                    | 3/32 in  | 0.03     |
| 6           | 4   | G12LW    | 1/2" HDG LOCKWASHER                        | 1/8 in   | 0.01     |
| 7           | 4   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT                  | 7/8 in   | 0.07     |
| TOTAL WT. # |     |          |                                            |          | 6.93     |



|                  |                          |  |  |                                                                                                                                                                                                                                                                                                                                                                                    |           |                                                                                                                                                                                                                                                 |  |  |                                                                                                                                           |                           |                           |                           |                            |                  |                             |                |
|------------------|--------------------------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|---------------------------|----------------------------|------------------|-----------------------------|----------------|
|                  |                          |  |  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (± 0.030")<br/>DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE ± 1/2 DEGREE<br/>ALL OTHER MACHINING (± 0.030")<br/>ALL OTHER ASSEMBLY (± 0.060")</div> |           | <div>DESCRIPTION</div> <div>CONSTRUCTOR-SET ROOF TOP MOUNT -<br/>DUAL FACE CORNER STYLE<br/>4 PENETRATING LEGS, 13' FACE, 8 MASTS</div>                                                                                                         |  |  | <div><div><div>SITE PRO1</div><div>Engineering Support Team:<br/>sp1engineering@valmont.com</div></div><div>A valmont COMPANY</div></div> |                           |                           |                           |                            |                  |                             |                |
| A                | CHANGED V-CLAMP TO SCP   |  |  | CMFL                                                                                                                                                                                                                                                                                                                                                                               | 2/15/2023 | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  |  | CPD NO.<br>NCN                                                                                                                            | DRAWN BY<br>DRR 5/18/2026 |                           | ENG. APPROVAL<br>6/8/2026 |                            | PART NO.<br>PUCK |                             | PAGE<br>3 OF 4 |
| REV              | DESCRIPTION OF REVISIONS |  |  | BY                                                                                                                                                                                                                                                                                                                                                                                 | DATE      | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  |  | CLASS<br>87                                                                                                                               | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER |                           | CHECKED BY<br>JET 6/8/2026 |                  | DWG. NO.<br>CSRT-D4P3-10128 |                |
| REVISION HISTORY |                          |  |  |                                                                                                                                                                                                                                                                                                                                                                                    |           |                                                                                                                                                                                                                                                 |  |  |                                                                                                                                           |                           |                           |                           |                            |                  |                             |                |

| PARTS LIST |     |          |                           |         |             |         |
|------------|-----|----------|---------------------------|---------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION          | LENGTH  | UNIT WT.    | NET WT. |
| 1          | 1   | SCX2     | CROSSOVER PLATE           | 7 in    | 5.08        | 5.08    |
| 2          | 4   | X-UB1300 | 1/2 X 3" X 5" X 2" U-BOLT | 5 in    | 0.74        | 2.95    |
| 3          | 8   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT | 7/8 in  | 0.07        | 0.57    |
| 4          | 8   | G12FW    | 1/2" HDG USS FLATWASHER   | 3/32 in | 0.03        | 0.27    |
| 5          | 8   | G12LW    | 1/2" HDG LOCKWASHER       | 1/8 in  | 0.01        | 0.11    |
|            |     |          |                           |         | TOTAL WT. # | 8.40    |

2-7/8" O.D. ANTENNA PIPE  
(ORDERED SEPARATELY)



2-7/8" O.D. ANTENNA PIPE  
(ORDERED SEPARATELY)

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030''$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030''$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010''$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030''$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060''$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
CONSTRUCTOR-SET ROOF TOP MOUNT -  
DUAL FACE CORNER STYLE  
4 PENETRATING LEGS, 13' FACE, 8 MASTS

|         |     |               |  |               |  |
|---------|-----|---------------|--|---------------|--|
| CPD NO. |     | DRAWN BY      |  | ENG. APPROVAL |  |
| NCN     |     | DRR 5/18/2026 |  | 6/8/2026      |  |
| CLASS   | SUB | DRAWING USAGE |  | CHECKED BY    |  |
| 87      | 02  | CUSTOMER      |  | JET 6/8/2026  |  |



Engineering  
Support Team:  
sp1engineering@valmont.com

|          |                 |
|----------|-----------------|
| PART NO. | SCX23-K         |
| DWG. NO. | CSRT-D4P3-10128 |