


PARTS LIST					
ITEM	QTY	PART NO.	PART DESCRIPTION	UNIT WT.	NET WT.
1	1	LPC2	LOW PROFILE LIGHTWEIGHT 2 SIDED COLLAR MOUNT	41.86	41.86
2	2	EB12045-S-K	1/2" X 4-1/2" SHANK EYE BOLT KIT WITH 3/8" SHACKLE	1.00	2.00
TOTAL WT. #				43.87	



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

TWO-SIDED CABLE SUPPORT COLLAR
W/ EYELET SHACKLE

CPD NO. NCN		DRAWN BY ADB 6/16/2025	ENG. APPROVAL 6/20/2025
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 6/20/2025




Engineering
Support Team:
sp1engineering@valmont.com

A valmont COMPANY

PART NO. CW-2	PAGE 1 OF 3
DWG. NO. CW-2	

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	2	X-LPC	LOW PROFILE COLLAR WELDMENT		13.50	27.01
2	4	X-BOX33	3" x 3" x 1/4" SQUARE TUBE CONNECTION JUNCTION	2 in	1.45	5.78
3	8	G58112	5/8" x 1-1/2" HDG BOLT	1 1/2 in	0.25	1.98
4	2	G58R-30	5/8" x 30" THREADED ROD (HDG.)		2.61	5.23
5	12	G58LW	5/8" HDG LOCKWASHER		0.03	0.31
6	12	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	1.56
					TOTAL WT. #	41.86



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$)
DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030''$)
ALL OTHER ASSEMBLY ($\pm 0.060''$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

TWO-SIDED CABLE SUPPORT COLLAR
W/ EYELET SHACKLE

CPD NO.

NCN

DRAWN BY

ADB 6/16/2025

ENG. APPROVAL

6/20/2025

CLASS

87

SUB

02

DRAWING USAGE

CUSTOMER

CHECKED BY

JET 6/20/2025



A valmont COMPANY

Engineering
Support Team:
sp1engineering@valmont.com


PART NO.

LPC2

DWG. NO.

CW-2

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	EB12045-S	EYE BOLT 1/2" X 4-1/2" SHANK 2" THREAD LENGTH HDG	6 3/4 in	0.57	0.57
2	1	SHK38	3/8" SHACKLE		0.31	0.31
3	1	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.03
4	1	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.01
5	1	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.07



FINISH:
HOT DIP GALVANIZED.

	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION TWO-SIDED CABLE SUPPORT COLLAR W/ EYELET SHACKLE			SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY	
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. NCN	DRAWN BY ADB 6/16/2025	ENG. APPROVAL 6/20/2025	PART NO. EB12045-S-K	PAGE 3 OF 3
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 6/20/2025	
							DWG. NO. CW-2	