


PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	LPC3	LOW PROFILE LIGHTWEIGHT 3 SIDED COLLAR MOUNT		72.95	72.95
2	2	X-CSRT-3024FW	CSRT FLANGE PIPE WELDMENT 2-7/8" x 24"		15.31	30.62
3	1	X-CSRT-P3048	2-7/8" DIA. PIPE X 58" LONG	48 in	24.50	24.50
4	8	X-UB1300	1/2 X 3" X 5" X 2" U-BOLT	5 in	0.74	5.91
5	16	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.22
6	16	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.55
7	16	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	1.15
					TOTAL WT. #	135.89



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

3 SIDED CABLE SUPPORT COLLAR
WITH TOP ATTACHMENT POINT





CPD NO.		DRAWN BY		ENG. APPROVAL	
NCN		ADB 6/6/2025		3RD PARTY	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		SDR 9/15/2025	



A valmont COMPANY

Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	CW-3T
DWG. NO.	CW-3T



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

**3 SIDED CABLE SUPPORT COLLAR
WITH TOP ATTACHMENT POINT**

CPD NO.

NCN

DRAWN BY

ADB 6/6/2025

ENG. APPROVAL

3RD PARTY

CLASS

87

SUB

02

DRAWING USAGE

CUSTOMER

CHECKED BY

SDR 9/15/2025

PART NO.

CW-3T

DWG. NO.


CW-3T



A **valmont** COMPANY

Engineering
Support Team:
sp1engineering@valmont.com

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	3	X-LPC	LOW PROFILE COLLAR WELDMENT		13.50	40.51
2	6	X-BOX33	3" x 3" x 1/4" SQUARE TUBE CONNECTION JUNCTION	2 in	1.45	8.67
3	3	G58R-18	5/8" x 18" THREADED ROD (HDG.)		1.57	4.70
3	3	G58R-48	5/8" X 48" THREADED ROD (HDG.)		4.43	13.30
4	12	G58112	5/8" x 1-1/2" HDG BOLT	1 1/2 in	0.25	2.97
5	18	G58LW	5/8" HDG LOCKWASHER		0.03	0.47
6	18	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	2.34
					TOTAL WT. #	72.95



FINISH:
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES (± 0.030")
DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES
LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES
BENDS AND ANGLES ARE ± 1/2 DEGREE
ALL OTHER MACHINING (± 0.030")
ALL OTHER ASSEMBLY (± 0.060")

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
3 SIDED CABLE SUPPORT COLLAR
WITH TOP ATTACHMENT POINT

CPD NO. NCN		DRAWN BY ADB 6/6/2025	ENG. APPROVAL 3RD PARTY
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 9/15/2025



Engineering
Support Team:
sp1engineering@valmont.com

A valmont COMPANY

PART NO. LPC3	PAGE 3 OF 3
DWG. NO. CW-3T	