


PARTS LIST					
ITEM	QTY	PART NO.	PART DESCRIPTION	UNIT WT.	NET WT.
1	1	LPC4	LOW PROFILE LIGHTWEIGHT 4 SIDED COLLAR MOUNT	95.97	95.97
2	4	CW-ENHW-K	EYE NUT CABLE SUPPORT HARDWARE KIT	0.93	3.73
TOTAL WT. #				94.00	




FINISH:
HOT DIP GALVANIZED.

	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)		DESCRIPTION FOUR-SIDED CABLE SUPPORT COLLAR W/ EYELET SHACKLE			SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY	
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		CPD NO. NCN	DRAWN BY ADB 6/16/2025	ENG. APPROVAL 6/20/2025	PART NO. CW-4	
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.		CLASS 87	SUB 02	DRAWING USAGE SHOP	CHECKED BY JET 6/20/2025	DWG. NO. CW-4

PAGE
1 OF 3


PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	4	LPC-SS	LOW PROFILE COLLAR SINGLE SECTOR ASSEMBLY		17.93	71.72
2	4	G58R-18	5/8" x 18" THREADED ROD (HDG.)		1.57	6.27
2	4	G58R-48	5/8" x 48" THREADED ROD (HDG.)		4.18	16.73
3	8	G58LW	5/8" HDG LOCKWASHER		0.03	0.21
4	8	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	1.04
					TOTAL WT. #	96.27



FINISH:
HOT DIP GALVANIZED.

	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION FOUR-SIDED CABLE SUPPORT COLLAR W/ EYELET SHACKLE			SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY		
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. NCN	DRAWN BY ADB 6/16/2025	ENG. APPROVAL 6/20/2025	PART NO. LPC4	PAGE 2 OF 3	
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE SHOP	CHECKED BY JET 6/20/2025		DWG. NO. CW-4

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	EN12	1/2 EYE NUT		0.21	0.21
2	1	G1205	1/2" x 5" HDG HEX BOLT GR5 FULL THREAD	5 in	0.33	0.33
3	2	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.07
4	1	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.01
5	1	SHK38	3/8" SHACKLE		0.31	0.31
					TOTAL WT. #	0.93



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$)
DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030''$)
ALL OTHER ASSEMBLY ($\pm 0.060''$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

FOUR-SIDED CABLE SUPPORT COLLAR
W/ EYELET SHACKLE

CPD NO.

NCN

DRAWN BY

ADB 6/16/2025

ENG. APPROVAL

6/20/2025

CLASS

87

SUB

02

DRAWING USAGE

SHOP

CHECKED BY

JET 6/20/2025



A valmont COMPANY

Engineering
Support Team:
sp1engineering@valmont.com

PART NO.

CW-ENHW-K

DWG. NO.

CW-4