






PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	LPC4	LOW PROFILE LIGHTWEIGHT 4 SIDED COLLAR MOUNT		96.27	96.27
2	2	X-CSRT-3024FW	CSRT FLANGE PIPE WELDMENT 2-7/8" x 24"		15.31	30.62
3	1	P3084	2-7/8" X 84" (2 1/2" SCH. 40) GALVANIZED PIPE (A53 Gr.B Fy=35 ksi min.)	84 in	40.65	40.65
4	8	X-UB1300	1/2 X 3" X 5" X 2" U-BOLT	5 in	0.74	5.91
5	16	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.22
6	16	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.55
7	16	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	1.15
					TOTAL WT. #	169.09



	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)				DESCRIPTION CABLE SUPPORT COLLAR WITH TOP MOUNT CABLE PULL				SITE PRO 1 A valmont COMPANY Engineering Support Team: sp1engineering@valmont.com			
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS				CPD NO. NCN		DRAWN BY ADB 6/10/2025		ENG. APPROVAL 9/11/2025		PART NO. CW-4T	
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.				CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY SDR 9/11/2025		DWG. NO. CW-4T	

PAGE
1 OF 3



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES (± 0.030 ")
DRILLED AND GAS CUT HOLES (± 0.030 ") - NO CONING OF HOLES
LASER CUT EDGES AND HOLES (± 0.010 ") - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING (± 0.030 ")
ALL OTHER ASSEMBLY (± 0.060 ")

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
CABLE SUPPORT COLLAR WITH TOP MOUNT
CABLE PULL

CPD NO. NCN		DRAWN BY ADB 6/10/2025	ENG. APPROVAL 9/11/2025
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 9/11/2025




Engineering
Support Team:
sp1engineering@valmont.com

A valmont COMPANY

PART NO. CW-4T	PAGE 2 OF 3
DWG. NO. CW-4T	

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	4	X-LPC	LOW PROFILE COLLAR WELDMENT		13.50	54.01
2	8	X-BOX33	3" x 3" x 1/4" SQUARE TUBE CONNECTION JUNCTION	2 in	1.45	11.56
3	4	G58R-18	5/8" x 18" THREADED ROD (HDG.)		1.57	6.27
3	4	G58R-48	5/8" x 48" THREADED ROD (HDG.)		4.18	16.73
4	16	G58112	5/8" x 1-1/2" HDG BOLT	1 1/2 in	0.25	3.95
5	24	G58LW	5/8" HDG LOCKWASHER		0.03	0.63
6	24	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	3.12
					TOTAL WT. #	96.27



FINISH:
HOT DIP GALVANIZED.

	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION CABLE SUPPORT COLLAR WITH TOP MOUNT CABLE PULL			SITE PRO1 Engineering Support Team: sp1engineering@valmont.com A valmont COMPANY	
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. NCN	DRAWN BY ADB 6/10/2025	ENG. APPROVAL 9/11/2025	PART NO. LPC4	
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 9/11/2025	DWG. NO. CW-4T

PAGE 3 OF 3