








PARTS LIST								
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.	
1	2	SP126		BASE SHOE PIPE COLUMN		94.72	189.45	
2	2	PC312		3-1/2" FENCE POST CAP		0.59	1.17	
3	2	GRS24		24" X 10' GRIP SPAN BRIDGE CHANNEL	120 in	91.86	183.71	
4	4	HHD24-K	P-HHD24-K	24" COMPLETE CANTILEVER KIT		18.01	72.05	
5	6	UNT10-HFK		UNISTRUT H-FRAME KIT (120")		25.80	154.80	
6	8	G12R-6		1/2" x 6" GALV. THREADED ROD		0.33	2.68	
							TOTAL WT. #	562.68



DETAIL A






UNDERSIDE
ATTACHEMENT



REFERENCE ONLY

FINISH:
HOT DIP GALVANIZED.

					TOLERANCE NOTES	DESCRIPTION			SITE PRO 1		Engineering Support Team: sp1engineering@valmont.com
					TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$) DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030"$) ALL OTHER ASSEMBLY ($\pm 0.060"$)	48" WIDE DUAL ICE-BRIDGE H-FRAME BOLT-DOWN POST			A valmont COMPANY		
B	MPOST-B REPLACED WITH UPDATED SP126	SP1	JJW	8/19/2026		CPD NO.	DRAWN BY	ENG. APPROVAL	PART NO.		
A	SP126 SWAPPED WITH MPOST-B	SP1	JET	5/13/2026	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS	SP1	SDR 1/15/2025	9/16/2026	ERIB48B		
REV	DESCRIPTION OF REVISIONS	CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.	CLASS	SUB	DRAWING USAGE	CHECKED BY	DWG. NO.	
REVISION HISTORY						81	02	CUSTOMER	JET 9/16/2026	ERIB48B	



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
48" WIDE DUAL ICE-BRIDGE H-FRAME
BOLT-DOWN POST

CPD NO. SP1		DRAWN BY SDR 1/15/2025	ENG. APPROVAL 9/16/2026
CLASS 81	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 9/16/2026





SITE
PRO

1

A valmont COMPANY


Engineering
Support Team:
sp1engineering@valmont.com

PART NO. ERIB48B	PAGE 2 OF 5
DWG. NO. ERIB48B	



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-MPOST	BASE SHOE PLATE PIPE COLUMN	126 in	92.18	92.18
2	4	SWA585	5/8" X 5" STAINLESS WEDGE ANCHOR		0.64	2.55
					TOTAL WT. #	91.54

					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)					DESCRIPTION 48" WIDE DUAL ICE-BRIDGE H-FRAME BOLT-DOWN POST				SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY							
A	SWAPPED X-MPOST FOR X-SP126				SP1	JJW	8/14/2026	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS					CPD NO. SP1		DRAWN BY SDR 1/15/2025		ENG. APPROVAL 9/16/2026		PART NO. SP126		3 OF 5 PAGE
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.					CLASS 81	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY JET 9/16/2026		DWG. NO. ERIB48B		
REVISION HISTORY																					



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	HHD24	24" UNIVERSAL CANTILEVER		14.10	14.10
2	2	SPLICE	SPLICE FOR GRIP STRUT	7 3/8 in	0.53	1.06
3	2	X-UB1358	1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT	5 1/2 in	0.82	1.64
4	4	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.14
5	4	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.06
6	4	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.29
7	4	G3803	3/8" x 3" HDG HEX BOLT GR5		0.12	0.48
8	8	G38FW	3/8" HDG USS FLATWASHER		0.01	0.09
9	4	G38LW	3/8" HDG LOCKWASHER		0.01	0.03
10	4	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	0.14
TOTAL WT. #					17.91	

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

48" WIDE DUAL ICE-BRIDGE H-FRAME
BOLT-DOWN POST

CPD NO.		DRAWN BY		ENG. APPROVAL	
SP1		SDR 1/15/2025		9/16/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
81	02	CUSTOMER		JET 9/16/2026	




A valmont COMPANY

Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	HHD24-K
DWG. NO.	ERIB48B

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	UNT10	UNISTRUT 1-5/8" X 1-5/8" EG	120 in	20.38	20.38
2	2	UNICAP	UNISTRUT END CAP		0.03	0.06
3	2	X-UPC1	SMALL PIPE TO PIPE BRACKET	6 3/4 in	0.86	1.71
4	4	G38R-8	3/8" X 8" THREADED ROD (HDG.)		0.25	1.00
5	8	SQW38	3/8" SQUARE WASHER	2 in	0.29	2.31
6	8	G38LW	3/8" HDG LOCKWASHER		0.01	0.05
7	8	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	0.27
					TOTAL WT. #	25.82



					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)					DESCRIPTION 48" WIDE DUAL ICE-BRIDGE H-FRAME BOLT-DOWN POST				SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY				
					PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS					CPD NO. SP1		DRAWN BY SDR 1/15/2025		ENG. APPROVAL 9/16/2026		PART NO. UNT10-HFK		PAGE 5 OF 5
					REVISION HISTORY					PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.					CLASS 81		SUB 02	
B	CHANGED U-BOLT TO UPC1			SP1	SDR	6/20/2025												
REV	DESCRIPTION OF REVISIONS			CPD	BY	DATE												