				PARTS LIST			
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	FLX4-HD		FLEXIBLE RING MOUNT 4-SIDED HEAVY DUTY ASSEMBLY		504.00	504.00
2	4	X-LPP-SA10		TRUSS ARM WELDMENT FOR 8' AND 10' LOW PROFILE PLATFORMS		99.32	397.29
3	4	X-LPP-CW		LOW PROFILE PLATFORM CORNER WELDMENT		198.75	795.01
4	4	X-LPP-W10		WALKWAY FOR 10' LOW PROFILE PLATFORM		60.60	242.42
5	4	P30108		2-7/8" O.D. X 108" SCH. 40 PIPE (A53 Gr.B Fy=35 ksi min.)	108 in	52.32	209.27
6	4	LPPSA-HW	P-LPPSA-HW	TRUSS ARM CONNECTION HARDWARE		4.14	16.57
7	4	FCWHW	P-FCWHW	FORTRESS CORNER WELDMENT HARDWARE KIT		42.93	171.72
8	4	FWW-HW	P-FWW-HW	FORTRESS WALKWAY HARDWARE KIT		7.63	30.50
9	16	SCX3-FR-K	P-SCX3-FR	2-3/8" / 2-7/8" TO 2-3/8" / 2-7/8" HD CROSSOVER KIT		17.53	280.53
						TOTAL WT. #	2647.33

<u>FINISH:</u> HOT DIP GALVANIZED.

7

TOLERANCE NOTES	DESCRIPTION							
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030")	8' F	8' FLEX FORTRESS™ QUAD-PLATFO WITH WALKWAY						
ALL OTHER ASSEMBLY (± 0.060")			DRAWN BY		ENG. APPROV			
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		P1	ADB	2/3/2025				
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.	CLASS 87	sub 02		ISAGE TOMER	CHECKED BY			

5

2

4

R

1

(9)

- FITS 2-3/8"Ø TO 2-7/8"Ø PIPE


3


M

8


(6)









Ũ יציי F á Minit କ୍ଷ 12" TO 30" 302 MONOPOLE






M MOUNT	SITE 1	Engineering Support Team: sp1engineering@valmont.com	n
ROVAL	PART NO.	-8W	2 OF
BY	dwg. no.	9-8W	F 12



<u>FINISH:</u> HOT DIP GALVANIZED.

TOLERANCE NOTES	DESC	DESCRIPTION							
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030")	8' F	LEX		S™ QUAD-P ITH WALKW					
ALL OTHER ASSEMBLY (± 0.060")	CPD N	0.	DRAWN BY		ENG. APPROV				
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		י1	ADB	2/3/2025					
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.	CLASS	sub 02	DRAWING U	sage FOMER	CHECKED BY				


〔1〕




Ø


M MOUNT	SITE 1 Engineering Support Team: sp1engineering@valmont.com A valmont ♥ COMPANY Company	m
ROVAL	PART NO. FLX4-HD	3 OF
BY	DWG. NO. FX4P-8W	PAGE OF 12

NOTE: ENSURE EQUAL DISTANCE BETWEEN BRACKETS "X" AND AT 120° APART







TOLERANCE NOTES	D	DESCRIPTION							
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030")	8	8' FLI	EX F		S™ QUAD-P TH WALKW	LATFORM MO AY			
ALL OTHER ASSEMBLY (± 0.060")	CP	PD NO.		DRAWN BY		ENG. APPROVAL			
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		SP1		ADB	2/3/2025				
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMAT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT TH	TION OF VALMONT		зив 02		sage T OMER	CHECKED BY			







INSTALL ORDER










INITIAL TIGHTENING










FINAL TIGHTENING










	TOLERANCE NOTES	DES	DESCRIPTION							
	TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")				SS™ QUAD-PLATFOR WITH WALKWAY					
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		0.	DRAWN BY	(ENG. APPROVA				
			21	ADB	2/3/2025					
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.	CLASS	sub 02		USAGE STOMER	CHECKED BY				













TOLERANCE NOTES	DES	DESCRIPTION						
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030^{\circ}$) DRILLED AND GAS CUT HOLES ($\pm 0.030^{\circ}$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.030^{\circ}$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030^{\circ}$)	8'	8' FLEX FORTRESS™ QUAD- WITH WALK						
ALL OTHER ASSEMBLY (± 0.060")	CPD	10.	DRAWN BY	,	ENG. APP			
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS	S	P1	ADB	2/3/2025				
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VA INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSEN VALMONT INDUSTRIES IS STRICTLY PROHIBITED.		SUB 02		USAGE TOMER	CHECKEI			

PARTS LIST		
PART DESCRIPTION	UNIT WT.	NET WT.
HEAVY FLEXIBLE RING MOUNT	55.25	55.25
20" CLAMP RING PIVOT WELDMENT	11.12	22.25
ANGLE ON WELDMENT	2.20	17.57
5/8" x 2" HDG HEX BOLT GR5	0.27	2.16
5/8" HDG HEAVY 2H TRI-LOCK NUT	0.14	1.10
	TOTAL WT. #	98.32





ITEMQTYPART NO.14G58R-48	
1 4 G58R-48	
2 4 G58R-24	
3 8 G58LW	
4 8 G58NUT	




<u>FINISH:</u> HOT DIP GALVANIZED.

TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030")		DESCRIPTION 8' FLEX FORTRESS™ QUAD-PLATFORM MOUNT WITH WALKWAY					A valmont COMPANY				
ALL OTHER ASSEMBLY (± 0.060")	CPD N	0.	DRAWN BY		ENG. APPROVAL	PA	RT NO.		7		
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS	SI	թղ	ADB	2/3/2025			HDR	M-HW	OF		
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.	CLASS 87	sub 02	DRAWING U	ISAGE TOMER	CHECKED BY	DW	ίg. no. FX4	P-8W	= 12		

PARTS LIST		
PART DESCRIPTION	UNIT WT.	NET WT.
5/8" X 48" GALV THREADED ROD	4.39	17.56
5/8" X 24" THREADED ROD (HDG.)	2.22	8.87
5/8" HDG LOCKWASHER	0.03	0.21
5/8" HDG HEAVY 2H HEX NUT	0.13	1.04
	TOTAL WT. #	28.30


			PARTS LIST			
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	8	G58214	5/8" x 2-1/4" HDG HEX BOLT GR5		0.29	2.33
2	8	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	0.56
3	8	G58LW	5/8" HDG LOCKWASHER		0.03	0.21
4	8	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	1.04
				i	TOTAL WT. #	4.14




TOLERANCE NOTES	DES	CRIPTIC	N		
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$)	8' f	ELEX I		S™ QUAD-F /ITH WALKW	
ALL OTHER ASSEMBLY (± 0.060")	CPD N	0.	DRAWN BY	,	ENG. APPROVA
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS	SI	P1	ADB	2/3/2025	
PROPRIETARY NOTE:	CLASS	SUB	DRAWING	USAGE	CHECKED BY
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUISTRIES IS STRICTLY PROHIBITED.	87	02	CUS	TOMER	

	SITE 1	Engineering Support Team: sp1engineering@valmont.co	om	
ROVAL	PART NO.	SA-HW	8 0	PA
BY	DWG. NO.	4P-8W	F 12	PAGE

			PARTS LIST			
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	4	X-LPP-PC	FACE PIPE CONNECTION BRACKET FORTRESS PLATFORM		7.01	28.04
2	4	X-LPP-A7	CORNER WELDMENT ATTACHMENT ANGLE	2 1/2 in	1.27	5.08
3	2	G12R-8	1/2" x 8" THREADED ROD (HDG.)		0.45	0.89
4	4	X-UB5304	5/8" X 3" X 4-1/4" X 2-1/2" U-BOLT	4 1/4 in	1.03	4.13
5	4	G58214	5/8" x 2-1/4" HDG HEX BOLT GR5		0.29	1.17
6	16	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	1.13
7	16	G58LW	5/8" HDG LOCKWASHER		0.03	0.42
8	16	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	2.08
					TOTAL WT. #	42.70






(3)

DETAIL E


REPRESENTATION VIEW FOR 3-SIDED FORTRESS

TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") DRILL OGGES (± 0.030") DRILL OGGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030") ALL OTHER MACHINING (± 0.030")		DESCRIPTION 8' FLEX FORTRESS™ QUAD-PLA WITH WALKWAY			
ALL OTHER ASSEMBLY (± 0.060")	CPD N	0.	DRAWN BY		ENG. APPRO
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS	SI	P1	ADB	2/3/2025	
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.	CLASS	sub 02		ISAGE TOMER	CHECKED B












REPRESENTATION VIEW FOR 4-SIDED FORTRESS

TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES		CRIPTIC	ORTRE	SS™ QUAD NITH WALK	-PLATFORM MOUNT WAY		SITE PRO 1	Engineering Support Team: sp1engineering@valmont.co	om	
LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")	CPD N	0	DRAWN B		ENG. APPROVAL					
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		P1	ADB	2/3/202		FAI		WHW	0 0F	ΡA
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF	CLASS	suв 02		SUSAGE STOMER	CHECKED BY	DW	IG. NO. FX4	P-8W	−F 12	GE

8X2 7X2	6X2	3 2X	2			
	Ð				5	
					Ż	
			<u> </u>			 c
	P					9
						千
					E	5
				~ ~ ~		5

			PARTS LIST			
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	2	X-LPP-H	HINGE FOR LOW PROFILE PLATFORM WALKWAY		2.78	5.55
2	4	G58214	5/8" x 2-1/4" HDG HEX BOLT GR5		0.29	1.17
3	4	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	0.28
4	4	G58LW	5/8" HDG LOCKWASHER		0.03	0.10
5	4	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	0.52
					TOTAL WT. #	7.63




TOLERANCE NOTES	DES	CRIPTIC	DN		
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (\pm 0.030") DRILLED AND GAS CUT HOLES (\pm 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (\pm 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE \pm 1/2 DEGREE ALL OTHER MACHINING (\pm 0.030")	8' 6	ELEX		S™ QUAD-F ⁄ITH WALKW	
ALL OTHER ASSEMBLY (± 0.060")	CPD N	0.	DRAWN BY	,	ENG. APPR
PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS	SI	P1	ADB	2/3/2025	
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUISTRIES IS STRUCT Y PROHIBITED	CLASS	suв 02		USAGE TOMER	CHECKED B





			PARTS LIST			l
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-SCX3-FR	FORTRESS CROSSOVER PLATE		6.61	6.61
2	4	X-UB5300	5/8" X 3" X 5-1/4" X 2-1/2" U-BOLT	5 1/4 in	1.22	4.87
2	4	X-UB5258	5/8 X 2-5/8" X 4-1/2" X 2" U-BOLT	4 1/2 in	1.06	4.24
3	8	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	0.56
4	8	G58LW	5/8" HDG LOCKWASHER		0.03	0.21
5	8	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	1.04
·				i	TOTAL WT. #	17.53



<u>FINISH:</u> HOT DIP GALVANIZED.

TOLERANCE NOTES	DES	CRIPTIO	N		
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE	8' F	ELEX F		S™ QUAD-P ITH WALKW	
ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")	CPD N		DRAWN BY	2/3/2025	ENG. APPRO
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.	CLASS 87		DRAWING		CHECKED BY

