










| PARTS LIST |     |          |                                  |        |             |         |
|------------|-----|----------|----------------------------------|--------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                 | LENGTH | UNIT WT.    | NET WT. |
| 1          | 1   | X-MPOST  | BASE SHOE PLATE PIPE COLUMN      | 126 in | 92.18       | 92.18   |
| 2          | 4   | SWA585   | 5/8" X 5" STAINLESS WEDGE ANCHOR |        | 0.64        | 2.55    |
|            |     |          |                                  |        | TOTAL WT. # | 91.54   |

|                  |                             |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |           |                                                                                                                                                                                                                                                 |  |  |                |                                                                                                                                                                                                                                            |                            |                             |                |                       |
|------------------|-----------------------------|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------|----------------|-----------------------|
|                  |                             |  |  |  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |     |           | <div>DESCRIPTION</div> <div>12" X 10' GRIP STRUT ICE BRIDGE KIT<br/>BOLT DOWN LEG<br/>W/ SINGLE Z-BRACKET TRAPEZE</div>                                                                                                                         |  |  |                | <div><div><div>SITE PRO</div><div>1</div></div><div>Engineering Support Team:<br/>sp1engineering@valmont.com</div><div>A valmont  COMPANY</div></div> |                            |                             |                |                       |
|                  |                             |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |           |                                                                                                                                                                                                                                                 |  |  |                |                                                                                                                                                                                                                                            |                            |                             |                |                       |
| A                | SWAPPED X-MPOST FOR X-SP126 |  |  |  | SP1                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | JJW | 8/14/2026 | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  |  | CPD NO.<br>SP1 | DRAWN BY<br>SDR 4/28/2026                                                                                                                                                                                                                  | ENG. APPROVAL<br>9/15/2026 | PART NO.<br>SP126           | 2 OF 4<br>PAGE |                       |
| REV              | DESCRIPTION OF REVISIONS    |  |  |  | CPD                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | BY  | DATE      | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  |  | CLASS<br>87    | SUB<br>02                                                                                                                                                                                                                                  | DRAWING USAGE<br>CUSTOMER  | CHECKED BY<br>JET 9/15/2026 |                | DWG. NO.<br>IB1210B-Z |
| REVISION HISTORY |                             |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |           |                                                                                                                                                                                                                                                 |  |  |                |                                                                                                                                                                                                                                            |                            |                             |                |                       |



| PARTS LIST  |     |          |                                    |          |          |         |
|-------------|-----|----------|------------------------------------|----------|----------|---------|
| ITEM        | QTY | PART NO. | PART DESCRIPTION                   | LENGTH   | UNIT WT. | NET WT. |
| 1           | 1   | HHD12    | 12" CANTILEVER WELDMENT            |          | 8.01     | 8.01    |
| 2           | 2   | SPLICE   | SPLICE FOR GRIP STRUT              | 7 3/8 in | 0.53     | 1.06    |
| 3           | 2   | X-UB1358 | 1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT | 5 1/2 in | 0.82     | 1.64    |
| 4           | 4   | G12FW    | 1/2" HDG USS FLATWASHER            | 3/32 in  | 0.03     | 0.14    |
| 5           | 4   | G12LW    | 1/2" HDG LOCKWASHER                | 1/8 in   | 0.01     | 0.06    |
| 6           | 4   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT          | 7/8 in   | 0.07     | 0.29    |
| 7           | 4   | G3803    | 3/8" x 3" HDG HEX BOLT GR5         |          | 0.12     | 0.48    |
| 8           | 8   | G38FW    | 3/8" HDG USS FLATWASHER            |          | 0.01     | 0.09    |
| 9           | 4   | G38LW    | 3/8" HDG LOCKWASHER                |          | 0.01     | 0.03    |
| 10          | 4   | G38NUT   | 3/8" HDG HEAVY 2H HEX NUT          |          | 0.03     | 0.14    |
| TOTAL WT. # |     |          |                                    |          |          | 11.83   |

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION  
12" X 10' GRIP STRUT ICE BRIDGE KIT  
BOLT DOWN LEG  
W/ SINGLE Z-BRACKET TRAPEZE

|         |     |               |  |               |  |
|---------|-----|---------------|--|---------------|--|
| CPD NO. |     | DRAWN BY      |  | ENG. APPROVAL |  |
| SP1     |     | SDR 4/28/2026 |  | 9/15/2026     |  |
| CLASS   | SUB | DRAWING USAGE |  | CHECKED BY    |  |
| 87      | 02  | CUSTOMER      |  | JET 9/15/2026 |  |



Engineering  
Support Team:  
sp1engineering@valmont.com

|          |           |
|----------|-----------|
| PART NO. | HHD12-K   |
| DWG. NO. | IB1210B-Z |



| PARTS LIST |     |          |                                          |        |             |         |
|------------|-----|----------|------------------------------------------|--------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                         | LENGTH | UNIT WT.    | NET WT. |
| 1          | 1   | ZB12     | 1/8" MILL PLATE (Fy=35 Ksi Min)          |        | 3.16        | 3.16    |
| 2          | 2   | SS38R-18 | 3/8" X18" THREADED ROD (STAINLESS STEEL) |        | 0.56        | 1.13    |
| 3          | 4   | SQW38    | 3/8" SQUARE WASHER                       | 2 in   | 0.29        | 1.16    |
| 4          | 8   | SS38NUT  | 3/8" SS HEX NUT                          |        | 0.02        | 0.15    |
| 5          | 8   | SS38LW   | 3/8" SS LOCKWASHER                       |        | 0.01        | 0.05    |
| 6          | 8   | SS38FW   | 3/8" STAINLESS FLAT WASHER               |        | 0.01        | 0.07    |
|            |     |          |                                          |        | TOTAL WT. # | 5.65    |

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
12" X 10' GRIP STRUT ICE BRIDGE KIT  
BOLT DOWN LEG  
W/ SINGLE Z-BRACKET TRAPEZE

|         |     |               |  |               |  |
|---------|-----|---------------|--|---------------|--|
| CPD NO. |     | DRAWN BY      |  | ENG. APPROVAL |  |
| SP1     |     | SDR 4/28/2026 |  | 9/15/2026     |  |
| CLASS   | SUB | DRAWING USAGE |  | CHECKED BY    |  |
| 87      | 02  | CUSTOMER      |  | JET 9/15/2026 |  |



Engineering  
Support Team:  
sp1engineering@valmont.com

|          |           |
|----------|-----------|
| PART NO. | Z12K      |
| DWG. NO. | IB1210B-Z |