






PARTS LIST							
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	2	SP126		BASE SHOE PIPE COLUMN		94.72	189.45
2	1	GRS12		12" WIDE GRIP STRUT	144 in	74.40	74.40
3	2	HHD12-K	P-HHD12-K	12" COMPLETE CANTILEVER KIT		11.92	23.85
4	2	PC312		3-1/2" FENCE POST CAP		0.59	1.17
5	3	T12K-3		12" TRIPLE T-TRAPEZE KIT		8.41	25.24
						TOTAL WT. #	314.11




FINISH:
HOT DIP GALVANIZED.

					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION 12" X 12' GRIP STRUT ICE BRIDGE KIT BOLT DOWN LEG W/ TRIPLE-T TRAPEZE			SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont COMPANY		
B	MPOST-B REPLACED WITH UPDATED SP126				SP1	JJW	8/31/2026	CPD NO.	DRAWN BY	ENG. APPROVAL	PART NO.	1 OF 4 PAGE	
A	REVISED TO MPOST AND TO SUPER-ASSEMBLY				SP1	SDR	5/4/2026	SP1	SDR 5/4/2026	9/15/2026	IB12B-T3		
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE	CLASS	SUB	DRAWING USAGE	CHECKED BY		DWG. NO.
REVISION HISTORY					PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			87	02	CUSTOMER	JET 9/15/2026	IB12B-T3	



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-MPOST	BASE SHOE PLATE PIPE COLUMN	126 in	92.18	92.18
2	4	SWA585	5/8" X 5" STAINLESS WEDGE ANCHOR		0.64	2.55
					TOTAL WT. #	91.54

					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")		DESCRIPTION 12" X 12' GRIP STRUT ICE BRIDGE KIT BOLT DOWN LEG W/ TRIPLE-T TRAPEZE			SITE PRO 1 A valmont COMPANY Engineering Support Team: sp1engineering@valmont.com						
A	SWAPPED X-MPOST FOR X-SP126				SP1	JJW	8/14/2026	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. SP1	DRAWN BY SDR 5/4/2026	ENG. APPROVAL 9/15/2026	PART NO. SP126	2 OF 4 PAGE	
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 9/15/2026		DWG. NO. IB12B-T3
REVISION HISTORY																



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	HHD12	12" CANTILEVER WELDMENT		8.01	8.01
2	2	SPLICE	SPLICE FOR GRIP STRUT	7 3/8 in	0.53	1.06
3	2	X-UB1358	1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT	5 1/2 in	0.82	1.64
4	4	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.14
5	4	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.06
6	4	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.29
7	4	G3803	3/8" x 3" HDG HEX BOLT GR5		0.12	0.48
8	8	G38FW	3/8" HDG USS FLATWASHER		0.01	0.09
9	4	G38LW	3/8" HDG LOCKWASHER		0.01	0.03
10	4	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	0.14
TOTAL WT. #					11.83	

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION
12" X 12' GRIP STRUT ICE BRIDGE KIT
BOLT DOWN LEG
W/ TRIPLE-T TRAPEZE

CPD NO.		DRAWN BY		ENG. APPROVAL	
SP1		SDR 5/4/2026		9/15/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		JET 9/15/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	HHD12-K
DWG. NO.	IB12B-T3



PARTS LIST					
ITEM	QTY	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	VERTICAL TRAPEZE SECTION		2.54	2.54
2	3	12" HORIZONTAL TRAPEZE SECTION		1.47	4.40
3	6	SQUARE WASHER, 1-1/2" X 1-1/2" WITH 7/16" HOLE		0.11	0.67
4	3	3/8" X 2" GALV. BOLT KIT		0.11	0.32
5	1	3/8" HDG USS FLATWASHER		0.01	0.01
6	6	3/8" X 1" GALV. BOLT KIT		0.08	0.46
				TOTAL WT. #	8.41

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
12" X 12' GRIP STRUT ICE BRIDGE KIT
BOLT DOWN LEG
W/ TRIPLE-T TRAPEZE

CPD NO.		DRAWN BY		ENG. APPROVAL	
SP1		SDR 5/4/2026		9/15/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		JET 9/15/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	T12K-3
DWG. NO.	IB12B-T3