








PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-MPOST	BASE SHOE PLATE PIPE COLUMN	126 in	92.18	92.18
2	4	SWA585	5/8" X 5" STAINLESS WEDGE ANCHOR		0.64	2.55
					TOTAL WT. #	91.54

					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)		DESCRIPTION 12" X 10' GRIP STRUT ICE BRIDGE KIT BOLT DOWN LEG W/ TRIPLE-T TRAPEZE			SITE PRO 1 A valmont COMPANY Engineering Support Team: sp1engineering@valmont.com					
A	SWAPPED X-MPOST FOR X-SP126			SP1	JJW	8/14/2026	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. SP1	DRAWN BY KS 5/15/2026	ENG. APPROVAL 9/15/2026	PART NO. SP126	2 OF 4 PAGE	
REV	DESCRIPTION OF REVISIONS			CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 9/15/2026		DWG. NO. IB24B-T3
REVISION HISTORY															



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	HHD24	24" UNIVERSAL CANTILEVER		14.10	14.10
2	2	SPLICE	SPLICE FOR GRIP STRUT	7 3/8 in	0.53	1.06
3	2	X-UB1358	1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT	5 1/2 in	0.82	1.64
4	4	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.14
5	4	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.06
6	4	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.29
7	4	G3803	3/8" x 3" HDG HEX BOLT GR5		0.12	0.48
8	8	G38FW	3/8" HDG USS FLATWASHER		0.01	0.09
9	4	G38LW	3/8" HDG LOCKWASHER		0.01	0.03
10	4	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	0.14
TOTAL WT. #					17.91	

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION
12" X 10' GRIP STRUT ICE BRIDGE KIT
BOLT DOWN LEG
W/ TRIPLE-T TRAPEZE

CPD NO.		DRAWN BY		ENG. APPROVAL	
SP1		KS 5/15/2026		9/15/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		JET 9/15/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	HHD24-K
DWG. NO.	IB24B-T3



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	TAB	TRAPEZE CENTER SUPPORT BAR	24 5/16 in	5.05	5.05
2	3	AB24	24" ANGLE BRACKET	22 in	2.91	8.73
3	4	SQW38	3/8" SQUARE WASHER	2 in	0.29	1.16
4	4	G3803	3/8" x 3" HDG HEX BOLT GR5		0.12	0.48
5	6	G38114	3/8" x 1-1/4" HDG HEX BOLT GR5		0.07	0.40
6	10	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	0.34
7	10	G38LW	3/8" HDG LOCKWASHER		0.01	0.07
8	4	G38FW	3/8" HDG USS FLATWASHER		0.01	0.05
					TOTAL WT. #	15.54

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
12" X 10' GRIP STRUT ICE BRIDGE KIT
BOLT DOWN LEG
W/ TRIPLE-T TRAPEZE

CPD NO.		DRAWN BY		ENG. APPROVAL	
SP1		KS 5/15/2026		9/15/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		JET 9/15/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	T24K-3
DWG. NO.	IB24B-T3