






FINISH:
HOT DIP GALVANIZED.

PARTS LIST							
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	4	SP126		BASE SHOE PIPE COLUMN		94.72	378.90
2	2	GRS24		24" X 10' GRIP SPAN BRIDGE CHANNEL	120 in	91.86	183.71
3	2	P263		2" SCH. 40 PIPE (2.375" O.D. X 0.154" - A53 GR. B Fy=35 ksi min)	63 in	20.18	40.37
4	4	SCX7-U	P-SCX7-U	UNIVERSAL CROSSOVER PLATE KIT		17.94	71.75
5	6	T24K-3	P-T24K-3	24 RUN TRIPLE-TEE TRAPEZE KIT		16.27	97.61
6	8	X-116165		3" V-CLAMP	5 1/16 in	1.03	8.24
7	4	PC312		3-1/2" FENCE POST CAP		0.59	2.34
8	6	SPLICE		SPLICE FOR GRIP STRUT	7 3/8 in	0.53	3.18
9	16	SQW12		1/2" SQUARE WASHER	2 in	0.28	4.52
10	24	SQW38		3/8" SQUARE WASHER	2 in	0.29	6.94
11	16	G12R-8		1/2" x 8" THREADED ROD (HDG.)		0.45	7.14
12	16	G12FW		1/2" HDG USS FLATWASHER	3/32 in	0.03	0.55
13	32	G12LW		1/2" HDG LOCKWASHER	1/8 in	0.01	0.44
14	32	G12NUT		1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	2.29
15	12	G38112		3/8" x 1-1/2" HDG HEX BOLT GR5		0.07	0.85
16	12	G38LW		3/8" HDG LOCKWASHER		0.01	0.08
17	12	G38NUT		3/8" HDG HEAVY 2H HEX NUT		0.03	0.41
						TOTAL WT. #	798.60





DETAIL A



DETAIL B

					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION ICE BRIDGE KIT 48" GRIP-STRUT 10' LONG HEAVY DUTY 4 POSTS AND 6 TRIPLE TRAPEZE				SITE PRO 1 A valmont COMPANY Engineering Support Team: sp1engineering@valmont.com					
B	MPOST-B REPLACED WITH UPDATED SP126				SP1	JJW	8/25/2026	CPD NO. SP1		DRAWN BY SDR 6/4/2025		ENG. APPROVAL 9/15/2026		PART NO. IB4810B-T3-HD		1 OF 5	
A	REVISED POSTS TO MPOST-B				SP1	SDR	5/19/2026	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS									
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE	CLASS 87		SUB 02		DRAWING USAGE CUSTOMER		CHECKED BY JET 9/15/2026			DWG. NO. IB4810B-T3-HD
REVISION HISTORY								PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.									



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

ICE BRIDGE KIT 48" GRIP-STRUT
10' LONG HEAVY DUTY
4 POSTS AND 6 TRIPLE TRAPEZE

CPD NO.

SP1

DRAWN BY

SDR 6/4/2025

ENG. APPROVAL

9/15/2026

CLASS

87

SUB

02

DRAWING USAGE

CUSTOMER

CHECKED BY

JET 9/15/2026

PART NO.





IB4810B-T3-HD

DWG. NO.

IB4810B-T3-HD




Engineering
Support Team:
sp1engineering@valmont.com



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-MPOST	BASE SHOE PLATE PIPE COLUMN	126 in	92.18	92.18
2	4	SWA585	5/8" X 5" STAINLESS WEDGE ANCHOR		0.64	2.55
					TOTAL WT. #	91.54

					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")		DESCRIPTION ICE BRIDGE KIT 48" GRIP-STRUT 10' LONG HEAVY DUTY 4 POSTS AND 6 TRIPLE TRAPEZE			SITE PRO 1 A valmont COMPANY Engineering Support Team: sp1engineering@valmont.com									
A	SWAPPED X-MPOST FOR X-SP126				SP1	JJW	8/14/2026	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. SP1	DRAWN BY SDR 6/4/2025		ENG. APPROVAL 9/15/2026		PART NO. SP126		3 OF 5 PAGE	
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY JET 9/15/2026		DWG. NO. IB4810B-T3-HD		
REVISION HISTORY																			

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	SCX7	CROSSOVER PLATE	8 in	8.00	8.00
2	2	X-115765	5" V-CLAMP	7 1/16 in	1.09	2.17
3	2	X-100064	CLAMP (4" V-CLAMP) GALVANIZED	6 in	0.92	1.84
4	8	G12065	1/2" x 6-1/2" HDG HEX BOLT GR5 FULL THREAD	6 1/2 in	0.41	3.28
5	4	G12045	1/2" x 4.5" HDG HEX BOLT GR5 FULL THREAD	4 1/2 in	0.30	1.19
6	20	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.68
7	9	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.13
8	9	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.64
					TOTAL WT. #	17.94



FINISH:
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION
ICE BRIDGE KIT 48" GRIP-STRUT
10' LONG HEAVY DUTY
4 POSTS AND 6 TRIPLE TRAPEZE

CPD NO.		DRAWN BY		ENG. APPROVAL	
SP1		SDR 6/4/2025		9/15/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		JET 9/15/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	SCX7-U
DWG. NO.	IB4810B-T3-HD



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	TAB	TRAPEZE CENTER SUPPORT BAR	24 5/16 in	5.05	5.05
2	3	AB24	24" ANGLE BRACKET	22 in	2.91	8.73
3	4	SQW38	3/8" SQUARE WASHER	2 in	0.29	1.16
4	4	G3803	3/8" x 3" HDG HEX BOLT GR5		0.12	0.48
5	6	G38114	3/8" x 1-1/4" HDG HEX BOLT GR5		0.07	0.40
6	10	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	0.34
7	10	G38LW	3/8" HDG LOCKWASHER		0.01	0.07
8	4	G38FW	3/8" HDG USS FLATWASHER		0.01	0.05
					TOTAL WT. #	15.54

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
ICE BRIDGE KIT 48" GRIP-STRUT
10' LONG HEAVY DUTY
4 POSTS AND 6 TRIPLE TRAPEZE

CPD NO.		DRAWN BY		ENG. APPROVAL	
SP1		SDR 6/4/2025		9/15/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		JET 9/15/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	T24K-3
DWG. NO.	IB4810B-T3-HD