






PARTS LIST							
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	2	SP126		BASE SHOE PIPE COLUMN		94.72	189.45
2	1	GRS7		7" GRIP STRUT	120 in	33.02	33.02
3	2	HHD12-K	P-HHD12-K	12" COMPLETE CANTILEVER KIT		11.92	23.85
4	2	PC312		3-1/2" FENCE POST CAP		0.59	1.17
						TOTAL WT. #	247.49




FINISH:
HOT DIP GALVANIZED.

REVISION HISTORY					TOLERANCE NOTES		DESCRIPTION 7" X 10' GRIP STRUT ICE BRIDGE KIT BOLT DOWN LEG NO TRAPEZE			SITE PRO 1 A valmont COMPANY Engineering Support Team: sp1engineering@valmont.com	
A	REPLACED MPOST-B WITH SP126, UPDATED BOM	SP1	JJW	8/25/2026	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		CPD NO. SP1	DRAWN BY SDR 5/19/2026	ENG. APPROVAL 9/16/2026	PART NO. IB7B	1 OF 3 PAGE
REV	DESCRIPTION OF REVISIONS	CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.		CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 9/16/2026	DWG. NO. IB7B



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-MPOST	BASE SHOE PLATE PIPE COLUMN	126 in	92.18	92.18
2	4	SWA585	5/8" X 5" STAINLESS WEDGE ANCHOR		0.64	2.55
					TOTAL WT. #	91.54

					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION 7" X 10' GRIP STRUT ICE BRIDGE KIT BOLT DOWN LEG NO TRAPEZE			SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont COMPANY					
A	SWAPPED X-MPOST FOR X-SP126				SP1	JJW	8/14/2026	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. SP1	DRAWN BY SDR 5/19/2026	ENG. APPROVAL 9/16/2026	PART NO. SP126	2 OF 3 PAGE	
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 9/16/2026		DWG. NO. IB7B
REVISION HISTORY																



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	HHD12	12" CANTILEVER WELDMENT		8.01	8.01
2	2	SPLICE	SPLICE FOR GRIP STRUT	7 3/8 in	0.53	1.06
3	2	X-UB1358	1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT	5 1/2 in	0.82	1.64
4	4	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.14
5	4	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.06
6	4	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.29
7	4	G3803	3/8" x 3" HDG HEX BOLT GR5		0.12	0.48
8	8	G38FW	3/8" HDG USS FLATWASHER		0.01	0.09
9	4	G38LW	3/8" HDG LOCKWASHER		0.01	0.03
10	4	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	0.14
TOTAL WT. #						11.83

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

7" X 10' GRIP STRUT ICE BRIDGE KIT
BOLT DOWN LEG NO TRAPEZE

CPD NO.		DRAWN BY		ENG. APPROVAL	
SP1		SDR 5/19/2026		9/16/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		JET 9/16/2026	

SITE
PRO

1

A valmont COMPANY

Engineering
Support Team:
sp1engineering@valmont.com

PART NO.		3 OF 3 PAGE
HHD12-K		
DWG. NO.		3
IB7B		