

ITEM QTY				PARTS LIST			
2 6 X-MPADS 1'SQAURE MODULAR PLATFORM FOOTPAD 17.50 105.02 3 1 X-MAW MODULAR EQUIPMENT PLATFORM ACCESS WELDMENT 53.54 53.54 4 7 X-MRAIL4 HANDRAIL WELDMENT FOR MODULAR EQUIPMENT PLATFORM 60.49 423.40 5 4 X-MTRC MODULAR TOP RAIL CORNER SPLICE 1.25 5.02 6 8 X-MKPC MODULAR KICKER PLATE CORNER SPLICE 4 in 1.66 13.25 7 4 X-MTRS MODULAR TOP RAIL STRAIGHT SPLICE 1.88 7.51 8 8 X-MKPS MODULAR KICKER PLATE STRAIGHT SPLICE 6 5/16 in 1.86 14.87 9 1 X-MSWIS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 52.77 10 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 92.99 185.98 11 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 92.99 185.98 11 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 92.99 185.98	ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
3 1 X-MAW MODULAR EQUIPMENT PLATFORM ACCESS WELDMENT 53.54 53.54 4 7 X-MRAIL4 4" HANDRAIL WELDMENT FOR MODULAR EQUIPMENT PLATFORM 60.49 423.40 5 4 X-MTRC MODULAR TOP RAIL CORNER SPLICE 1.25 5.02 6 8 X-MKPC MODULAR TOP RAIL STRAIGHT SPLICE 4 in 1.66 13.25 7 4 X-MTRS MODULAR TOP RAIL STRAIGHT SPLICE 4 in 1.66 13.25 7 4 X-MTRS MODULAR KICKER PLATE STRAIGHT SPLICE 6 5/16 in 1.86 14.87 9 1 X-MSWS MODULAR KICKER PLATE FOR THE SPLICE 6 5/16 in 1.86 14.87 9 1 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 52.77 52.77 10 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 8 in 8.48 16.95 11 2 X-MPSP BACKING PLATE FOR X-MPOST 8 in 8.48 16.95 12 4 X-	1	2	X-MEP48	4' X 8' WELDED EQUIPMENT RACK BASE		377.38	754.75
4 7 X-MRAIL4 4"HANDRAIL WELDMENT FOR MODULAR EQUIPMENT PLATFORM 60.49 423.40 5 4 X-MITC MODULAR TOP RAIL CORNER SPLICE 1.25 5.02 6 8 X-MIKPS MODULAR KICKER PLATE CORNER SPLICE 4 in 1.66 13.25 7 4 X-MTRS MODULAR KICKER PLATE STRAIGHT SPLICE 1.88 7.51 8 8 X-MKPS MODULAR KICKER PLATE STRAIGHT SPLICE 6.5/16 in 1.86 14.87 9 1 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 25.77 25.77 10 2 X-MPOST SUPPORT POST FOR 1 LEVEL MODULAR STEP 52.77 26.77 10 2 X-MPOST SUPPORT POST FOR STEP STEP STEP 52.77 26.77 10 2 X-MPOST 8 in 8.48 16.95 11 2 X-MPOST 8 in 8.48 16.95 11.17 14 4 X-232698 TRPD-HD SUPPORT PLATE - STEP STEP TO 2.9 1/2 in 8.72 34.89 13.29 1.17 14 4	2	6	X-MPADS	1' SQAURE MODULAR PLATFORM FOOTPAD		17.50	105.02
5 4 X-MTRC MODULAR TOP RAIL CORNER SPLICE 1.25 5.02 6 8 X-MMPC MODULAR KICKER PLATE CORNER SPLICE 4 in 1.66 13.25 7 4 X-MTRS MODULAR TOP RAIL STRAIGHT SPLICE 1.88 7.51 8 8 X-MKPS MODULAR KICKER PLATE STRAIGHT SPLICE 6.5/16 in 1.86 14.87 9 1 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 52.77 10 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 92.99 185.98 11 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 92.99 185.98 11 2 X-MPOST 8 18 8.48 16.95 12 4 X-232698 TRPD-HD SUPPORT PLATE - SITE PRO 1 29.1/2 in 8.72 34.89 13 2 PC312 3-1/2* FENCE POST CAP 0.59 1.17 14 4 SPLICE SPLICE FOR GRIP STRUT 7.3/8 in 0.53	3	1	X-MAW	MODULAR EQUIPMENT PLATFORM ACCESS WELDMENT		53.54	53.54
6 8 X-MKPC MODULAR KICKER PLATE CORNER SPLICE 4 in 1.66 13.25 7 4 X-MTRS MODULAR KICKER PLATE STRAIGHT SPLICE 1.88 7.51 8 8 X-MIYPS MODULAR KICKER PLATE STRAIGHT SPLICE 6.5/16 in 1.86 14.87 9 1 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 52.77 10 2 X-MPOST SUPPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 92.99 185.98 11 2 X-MPOST BACKING PLATE FOR X-MPOST 8 in 8.48 16.95 12 4 X-232698 TRPD-HD SUPPORT PLATE - SITE PRO 1 29 1/2 in 8.72 34.89 13 2 PC312 3-1/2" FENCE POST CAP 0.59 1.17 14 4 SPLICE SPLICE FOR GRIP STRUT 7 3/8 in 0.53 2.12 15 4 SCP CLAMP HALF, 1/2" x 5-3/4" 1.29 5.17 16 4 SHCM-T CHAIN MOUNT TIGHTENER BRACKET 3 in	4	7	X-MRAIL4	4' HANDRAIL WELDMENT FOR MODULAR EQUIPMENT PLATFORM		60.49	423.40
7 4 X-MTRS MODULAR TOP RAIL STRAIGHT SPLICE 1.88 7.51 8 8 X-MKPS MODULAR KICKER PLATE STRAIGHT SPLICE 6.5/16 in 1.86 14.87 9 1 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 52.77 10 2 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 52.77 10 2 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 52.77 10 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATE FORM ICE BRIDGE KITS 92.99 185.98 11 2 X-MPOST SUPPORT PLATE FOR X-MPOST 8 in 8.48 16.95 12 4 X-232698 TRPD-HD SUPPORT PLATE FOR X-MPOST 8 in 8.48 16.95 12 4 X-232698 TRPD-HD SUPPORT PLATE FOR X-MPOST 8 in 8.48 16.95 12 4 X-232698 TRPD-HD SUPPORT PLATE FOR X-MPOST 8 in 8.48 16.95 12 4 X-232698 TRPD-HD SUPPORT PLATE FORD	5	4	X-MTRC	MODULAR TOP RAIL CORNER SPLICE		1.25	5.02
8 8 X-MKPS MODULAR KICKER PLATE STRAIGHT SPLICE 6 5/16 in 1.86 14.87 9 1 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 <t< td=""><td>6</td><td>8</td><td>X-MKPC</td><td>MODULAR KICKER PLATE CORNER SPLICE</td><td>4 in</td><td>1.66</td><td>13.25</td></t<>	6	8	X-MKPC	MODULAR KICKER PLATE CORNER SPLICE	4 in	1.66	13.25
9 1 X-MSWS WELDED STEP FOR 1 LEVEL MODULAR STEP 52.77 52.77 10 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 92.99 185.98 11 2 X-MPBP BACKING PLATE FOR X-MPOST 8 in 8.48 16.95 12 4 X-232698 TRPD-HD SUPPORT PLATE - SITE PRO 1 29 11/2 in 8.72 34.89 13 2 PG312 3-1/2" FENCE POST CAP 0.59 1.17 14 4 SPLICE SPLICE SPLICE FOR GRIP STRUT 7 3/8 in 0.53 2.12 15 4 SCP CLAMP HALF, 1/2" x 5-3/4" 1.29 5.17 16 4 SHCM-T CHAIN MOUNT TIGHTENER BRACKET 3 in 1.84 7.36 17 4 X-124312 1/2" X" X" ANGLE SPACER; WITH 9/16" HOLE 2 in 0.53 2.13 18 2 HHD24 24" UNIVERSAL CANTILEVER 11.10 28.20 19 1 GRS24 24" A10" GRIP SPAN BRIDGE CHANNEL 67.98 67.98 67.98 20 6 G1R-12 1" x 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 G1LW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HOG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 1 0.13 8.31 29 14 G1203 11/2" X" * HDG HEX BOLT GRS 2 in 0.18 0.70 31 4 G1203 11/2" X" * HDG HEX BOLT GRS 2 in 0.18 0.70 32 16 G12FW 1/2" X" HDG HEX BOLT GRS 2 in 0.18 0.70 33 14 G1203 11/2" X" * HDG HEX BOLT GRS 2 in 0.18 0.70 34 26 G12FW 1/2" X" * HDG HEX BOLT GRS 2 in 0.18 0.70 35 16 G12FW 1/2" X" * HDG HEX BOLT GRS 2 in 0.18 0.70 36 16 G38FW 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.13 8.31 36 26 G12FW 1/2" * HDG HEX BOLT GRS 2 in 0.18 0.70 37 16 G12FW 1/2" * HDG HEX BOLT GRS 3/32 in 0.03 0.55 38 G389W 3/8" * HDG HEX BOLT GRS 0.12 0.97 36 16 G38FW 3/8" * HDG HEX BOLT GRS 0.12 0.97 37 8 G38PW 3/8" * HDG HEX BOLT GRS 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	7	4	X-MTRS	MODULAR TOP RAIL STRAIGHT SPLICE		1.88	7.51
10 2 X-MPOST SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS 92.99 185.98	8	8	X-MKPS	MODULAR KICKER PLATE STRAIGHT SPLICE	6 5/16 in	1.86	14.87
11	9	1	X-MSWS	WELDED STEP FOR 1 LEVEL MODULAR STEP		52.77	52.77
12 4 X-232698 TRPD-HD SUPPORT PLATE - SITE PRO 1 29 1/2 in 8.72 34.89 13 2 PG312 3-1/2" FENCE POST CAP 0.59 1.17 14 4 SPLICE SPLICE FOR GRIP STRUT 7 3/8 in 0.53 2.12 15 4 SCP CLAMP HALF, 1/2" x 5-3/4" 1.29 5.17 16 4 SHCM-T CHAIN MOUNT TIGHTENER BRACKET 3 in 1.84 7.36 17 4 X-124312 1/2" X 2" X 2" ANGLE SPACER; WITH 9/16" HOLE 2 in 0.53 2.13 18 2 HHD24 24" X 10" GRIP SPAN BRIDGE CHANNEL 67.98 67.98 67.98 20 6 G1R-12 1" x 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 G1LW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20	10	2	X-MPOST	SUPPORT POST FOR EQUIPMENT PLATFORM ICE BRIDGE KITS		92.99	185.98
13	11	2	X-MPBP	BACKING PLATE FOR X-MPOST	8 in	8.48	16.95
14 4 SPLICE SPLICE FOR GRIP STRUT 7 3/8 in 0.53 2.12 15 4 SCP CLAMP HALF, 1/2" x 5-3/4" 1.29 5.17 16 4 SHOM-T CHAIN MOUNT TIGHTENER BRACKET 3 in 1.84 7.36 17 4 X-124312 1/2" X 2" X 2" ANGLE SPACER; WITH 9/16" HOLE 2 in 0.53 2.13 18 2 HHD24 24" UNIVERSAL CANTILEVER 14.10 28.20 19 1 GRS24 24" X 10" GRIP SPAN BRIDGE CHANNEL 67.98 67.98 20 6 G1R-12 1" x 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 G1LW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" HDG LOCKWASHER 1/8 in 0.07 4.37 26 62	12	4	X-232698	TRPD-HD SUPPORT PLATE - SITE PRO 1	29 1/2 in	8.72	34.89
15 4 SCP CLAMP HALF, 1/2" x 5-3/4" 1.29 5.17 16 4 SHCM-T CHAIN MOUNT TIGHTENER BRACKET 3 in 1.84 7.36 17 4 X-124312 1/2" X 2" X 2" ANGLE SPACER; WITH 9/16" HOLE 2 in 0.53 2.13 18 2 HHD24 24" UNIVERSAL CANTILEVER 14.10 28.20 19 1 GRS24 24" X 10" GRIP SPAN BRIDGE CHANNEL 67.98 67.98 20 6 G1R-12 1" X 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 G1LW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 24 56 G58134 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG LOCKWASHER 1/8 in 0.07 4.37 26	13	2	PC312	3-1/2" FENCE POST CAP		0.59	1.17
16 4 SHCM-T CHAIN MOUNT TIGHTENER BRACKET 3 in 1.84 7.36 17 4 X-124312 1/2" X 2" X 2" ANGLE SPACER; WITH 9/16" HOLE 2 in 0.53 2.13 18 2 HHD24 24" UNIVERSAL CANTILEVER 14.10 28.20 19 1 GRS24 24" X 10' GRIP SPAN BRIDGE CHANNEL 67.98 67.98 20 6 GIR-12 1" x 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 GILW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG LOCKWASHER 1/8 in 0.07 4.37 26 64 G58NUT 5/8" HDG LOCKWASHER 1/8 in 0.03 1.67 27	14	4	SPLICE	SPLICE FOR GRIP STRUT	7 3/8 in	0.53	2.12
17 4 X-124312 1/2" X 2" X 2" ANGLE SPACER; WITH 9/16" HOLE 2 in 0.53 2.13 18 2 HHD24 24" UNIVERSAL CANTILEVER 14.10 28.20 19 1 GRS24 24" X 10' GRIP SPAN BRIDGE CHANNEL 67.98 67.98 20 6 GIR-12 1" X 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 GILW 1" LOCK WASHER 0.09 1.13 22 24 GINUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3"-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4	15	4	SCP	CLAMP HALF, 1/2" x 5-3/4"		1.29	5.17
18 2 HHD24 24" UNIVERSAL CANTILEVER 14.10 28.20 19 1 GRS24 24" X 10' GRIP SPAN BRIDGE CHANNEL 67.98 67.98 20 6 G1R-12 1" x 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 G1LW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 27 64 G58NUT 5/8" S7-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" X 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1203	16	4	SHCM-T	CHAIN MOUNT TIGHTENER BRACKET	3 in	1.84	7.36
19 1 GRS24 24" X 10" GRIP SPAN BRIDGE CHANNEL 67.98 67.98 20 6 G1R-12 1" x 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 G1LW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" X 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" X 3-1/2" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3"-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" X 3" HDG HEX BOLT GR5 2 in 0.18 0.70 31 4 G1202	17	4	X-124312	1/2" X 2" X 2" ANGLE SPACER; WITH 9/16" HOLE	2 in	0.53	2.13
20 6 G1R-12 1" x 12" THREADED ROD (HDG.) 12 in 2.68 16.06 21 12 G1LW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG LOCKWASHER 0.03 1.67 27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" X 3" HDG HEX BOLT GR5 2 in 0.18 0.70 31 4 G1202 1/2" X 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW<	18	2	HHD24	24" UNIVERSAL CANTILEVER		14.10	28.20
21 12 G1LW 1" LOCK WASHER 0.09 1.13 22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG LOCKWASHER 0.03 1.67 27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" X 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG USS FLATWASHER 1/8 in 0.01 0.33 34 28 G12LW 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 <t< td=""><td>19</td><td>1</td><td>GRS24</td><td>24" X 10' GRIP SPAN BRIDGE CHANNEL</td><td></td><td>67.98</td><td>67.98</td></t<>	19	1	GRS24	24" X 10' GRIP SPAN BRIDGE CHANNEL		67.98	67.98
22 24 G1NUT 1" HDG HEAVY HEX NUT 0.47 11.29 23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG LOCKWASHER 0.03 1.67 27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" X 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG USS FLATWASHER 1/8 in 0.01 0.33 33 24 G12LW 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 </td <td>20</td> <td>6</td> <td>G1R-12</td> <td>1" x 12" THREADED ROD (HDG.)</td> <td>12 in</td> <td>2.68</td> <td>16.06</td>	20	6	G1R-12	1" x 12" THREADED ROD (HDG.)	12 in	2.68	16.06
23 8 G58312 5/8" x 3-1/2" HDG HEX BOLT GR5 0.40 3.20 24 56 G58134 5/8" x 1-3/4" HDG BOLT 13/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG LOCKWASHER 0.03 1.67 27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 11/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" x 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG USS FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.99 37 8 G38LW 3/8" HDG USS FLATWASHER 0.01 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.07 0.01 0.05	21	12	G1LW	1" LOCK WASHER		0.09	1.13
24 56 G58134 5/8" x 1-3/4" HDG BOLT 1 3/4 in 0.27 15.06 25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG LOCKWASHER 0.03 1.67 27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3"-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" x 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG USS FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG HEX BOLT GR5 0.12 0.97 36 16	22	24	G1NUT	1" HDG HEAVY HEX NUT		0.47	11.29
25 62 G58FW 5/8" HDG USS FLATWASHER 1/8 in 0.07 4.37 26 64 G58LW 5/8" HDG LOCKWASHER 0.03 1.67 27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" x 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG LOSK FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG LOCKWASHER 1/8 in 0.01 0.33 34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.05 37 8	23	8	G58312	5/8" x 3-1/2" HDG HEX BOLT GR5		0.40	3.20
26 64 G58LW 5/8" HDG LOCKWASHER 0.03 1.67 27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" x 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG USS FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG LOCKWASHER 1/8 in 0.01 0.33 34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG HEX BOLT GR5 0.01 0.05 38 8 G38NUT <td< td=""><td>24</td><td>56</td><td>G58134</td><td>5/8" x 1-3/4" HDG BOLT</td><td>1 3/4 in</td><td>0.27</td><td>15.06</td></td<>	24	56	G58134	5/8" x 1-3/4" HDG BOLT	1 3/4 in	0.27	15.06
27 64 G58NUT 5/8" HDG HEAVY 2H HEX NUT 0.13 8.31 28 8 X-UB1358 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" x 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG USS FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG LOCKWASHER 1/8 in 0.01 0.33 34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.01 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	25	62	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	4.37
28 8 X-UB1358 1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT 0.77 6.18 30 4 G1203 1/2" x 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG USS FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG LOCKWASHER 1/8 in 0.01 0.33 34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	26	64	G58LW	5/8" HDG LOCKWASHER		0.03	1.67
30 4 G1203 1/2" x 3" HDG HEX BOLT GR5 FULL THREAD 3 in 0.22 0.87 31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG USS FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG LOCKWASHER 1/8 in 0.01 0.33 34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	27	64	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	8.31
31 4 G1202 1/2" x 2" HDG HEX BOLT GR5 2 in 0.18 0.70 32 16 G12FW 1/2" HDG USS FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG LOCKWASHER 1/8 in 0.01 0.33 34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	28	8	X-UB1358	1/2" X 3-5/8" X 5-1/2" X 3" GALV U-BOLT		0.77	6.18
32 16 G12FW 1/2" HDG USS FLATWASHER 3/32 in 0.03 0.55 33 24 G12LW 1/2" HDG LOCKWASHER 1/8 in 0.01 0.33 34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	30	4	G1203	1/2" x 3" HDG HEX BOLT GR5 FULL THREAD	3 in	0.22	0.87
33 24 G12LW 1/2" HDG LOCKWASHER 1/8 in 0.01 0.33 34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	31	4	G1202	1/2" x 2" HDG HEX BOLT GR5	2 in	0.18	0.70
34 28 G12NUT 1/2" HDG HEAVY 2H HEX NUT 0.07 2.01 35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	32	16	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.55
35 8 G3803 3/8" x 3" HDG HEX BOLT GR5 0.12 0.97 36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	33	24	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.33
36 16 G38FW 3/8" HDG USS FLATWASHER 0.01 0.19 37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	34	28	G12NUT	1/2" HDG HEAVY 2H HEX NUT		0.07	2.01
37 8 G38LW 3/8" HDG LOCKWASHER 0.01 0.05 38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	35	8	G3803	3/8" x 3" HDG HEX BOLT GR5		0.12	0.97
38 8 G38NUT 3/8" HDG HEAVY 2H HEX NUT 0.03 0.27	36	16	G38FW	3/8" HDG USS FLATWASHER		0.01	0.19
	37	8	G38LW	3/8" HDG LOCKWASHER		0.01	0.05
TOTAL WT. # 1855.29	38	8	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	0.27
						TOTAL WT. #	1855.29

** FOR DETAILS, SEE PAGE 2 **

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (\$ 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (\$ 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (\$ 0.010") - NO CONING OF HOLES

BENDS ARE ± 1/2 DEGREE

ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT
INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF
VALMONT INDUSTRIES IS STRICTLY PROMISITED.


DESCRIPTION

8' X 8' MODULAR EQUIPMENT PLATFORM WITH SMALL FOOTPADS, 1 STEP AND 10' ICE BRIDGE




Engineering Atlanta, GA
Support Team: Locations:
New York, NY
Atlanta, GA
1-888-753-7446
Plymouth, IN
Salem, OR
Dallas, TX


ļ					
CPD NO. DRAWN BY		DRAWN BY	ENG. APPROVAL	PART NO.	$\overline{}$
		CEK 11/29/2016		MEP88-8SH32S1I	0
CLASS	SUB	DRAWING USAGE	CHECKED BY	DWG. NO.	П
81	02	CUSTOMER	BMC 11/30/2016	MEP88-8SH32S1I *	4




TYPICAL ALL ICEBRIDGE CONNECTIONS




TYPICAL ALL ICEBRIDGE SUPPORT POSTS DIAGONAL REINFORCEMENT CONNECTIONS




TYPICAL ALL HANDRAIL TO PLATFORM CONNECTIONS




TYPICAL ALL STRAIGHT SPLICE CONNECTIONS



CORNER SPLICE CONNECTIONS





TYPICAL ALL
PLATFORM TO PLATFORM
CONNECTIONS

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (\$ \pm 0.030") DRILLED AND GAS CUT HOLES (\$ \pm 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (\$ \pm 0.010") - NO CONING OF HOLES BENDS ARE \$ \pm 112 DEGREE ALL OTHER MACHINING (\$ \pm 0.030") ALL OTHER ASSEMBLY (\$ \pm 0.060")

ROPRIETARY NOTE:	
HE DATA AND TECHNIQUES CONTAINED IN THIS DRAI	
DUSTRIES AND CONSIDERED A TRADE SECRET. ANY	USE OR DISCLOSURE WITHOUT THE CONSENT OF
ALMONT INDUSTRIES IS STRICTLY PROHIBITED.	


DESCRIPTION
8'X 8' MODULAR EQUIPMENT PLATFORM
WITH SMALL FOOTPADS, 1 STEP
AND 10' ICE BRIDGE




Engineering Support Team: 1-888-753-7446


Locations:
New York, NY
g Atlanta, GA
Los Angeles, CA
Plymouth, IN
Salem, OR
Dallas, TX

CPD NO. DRAWN BY ENG. APPROVAL PART NO.	
CPD NO. DRAWN BY ENG. APPROVAL PART NO.	
	N
CEK 11/29/2016 MEP88-8SH32S1I	- T
	\circ
	= =
CLASS SUB DRAWING USAGE CHECKED BY DWG. NO.	" H
-	
81 02 CUSTOMER BMC 11/30/2016 MEP88-8SH32S1I	
51 52 55515 5 5 5 5 5 5 5 5	





TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS ARE ± 1/2 DEGREE			N MODULAR EQUIPME /ITH SMALL FOOTPAI AND 10' ICE BRI	DS, 1 STEP	L	SITE PRO	Engineering Support Team: 1-888-753-7446	Locations: New York, NY Atlanta, GA Los Angeles, CA Plymouth, IN Salem, OR Dallas, TX	
ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")	CPD NO).	DRAWN BY CEK 11/29/2016	ENG. APPROVAL	PART		3SH32S1I		3 P _A
PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRUCTLY PROHIBITED.	CLASS 81	SUB 02	CUSTOMER	CHECKED BY BMC 11/30/2016	DWG.		3SH32S1I	ı	F 4



TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (\$ 0,030")
DRILLED AND GAS CUT HOLES (\$ 0,030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (\$ 0,010") - NO CONING OF HOLES BENDS ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060") PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT
INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF
VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

8' X 8' MODULAR EQUIPMENT PLATFORM WITH SMALL FOOTPADS, 1 STEP AND 10' ICE BRIDGE



Engineering Support Team: 1-888-753-7446

Locations: New York, NY Atlanta, GA Los Angeles, CA Plymouth, IN Dallas, TX

	_					
ı					1 -	
	CPD NO. DRAWN BY		DRAWN BY	ENG. APPROVAL	PART NO.	_
			CEK 11/29/2016		MEP88-8SH32S1I	
	CLASS	SUB	DRAWING USAGE	CHECKED BY	DWG. NO.	П
	81	02	CUSTOMER	BMC 11/30/2016	MEP88-8SH32S1I *	_
				-	-	