




PARTS LIST								
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.	
1	2	LWRM		UNIVERSAL RING MOUNT		266.93	533.87	
2	6	SV197-36		36" SUPPORT ARM KIT		70.12	420.71	
3	6	SP216-CK		PIPE SUPPORT CROSS PLATE CENTER KIT		47.47	284.83	
4	12	SP219	P-SP219	SP219 (INV Model).iam		12.55	150.57	
5	6	P396		3-1/2" X 96" (3" SCH 40) GALVANIZED PIPE (A53 Gr.B Fy=35 ksi min.)	96 in	60.75	364.49	
6	9	P2120		2-3/8" x 120" (2" SCH. 40) GALVANIZED PIPE (A53 Gr.B Fy=35 ksi min.)	120 in	38.81	349.31	
							TOTAL WT. #	2103.77



FINISH:
HOT DIP GALVANIZED.

					TOLERANCE NOTES		DESCRIPTION 8' DOUBLE MONOPOLE TRIPLE T-ARM 12"-45" W/ 2-3/8" ANTENNA PIPES		SITE PRO 1 A valmont  COMPANY Engineering Support Team: sp1engineering@valmont.com							
					TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)											
					PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		CPD NO. NCS		DRAWN BY CMFL 12/30/2025		ENG. APPROVAL 1/6/2026		PART NO. RMVD8-3-2120		1 OF 10 PAGE	
A UPDATED TO SUPER NCS CSL 12/30/2025																
REV DESCRIPTION OF REVISIONS CPD BY DATE							CLASS 87		SUB 02		DRAWING USAGE CUSTOMER		CHECKED BY JET 1/6/2026			
REVISION HISTORY					PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.											



VIEW A-A

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

**8' DOUBLE MONOPOLE
TRIPLE T-ARM 12"-45"
W/ 2-3/8" ANTENNA PIPES**

CPD NO.

NCS

DRAWN BY

CMFL 12/30/2025

ENG. APPROVAL

1/6/2026

CLASS

87

SUB

02

DRAWING USAGE

CUSTOMER

CHECKED BY

JET

1/6/2026

PART NO.


RMVD8-3-2120

DWG. NO.


RMVD8-3-2120




Engineering
Support Team:
sp1engineering@valmont.com



PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	3	X-LWRM	RING MOUNT WELDMENT		69.02	207.06
2	9	G58R-48	5/8" x 48" THREADED ROD (HDG.)		4.18	37.63
3	9	G58R-24	5/8" x 24" THREADED ROD (HDG.)		2.09	18.82
4	18	A58FW	5/8" HDG A325 FLATWASHER		0.03	0.61
5	18	G58LW	5/8" HDG LOCKWASHER		0.03	0.47
6	18	A58NUT	5/8" HDG A325 HEX NUT		0.13	2.34
					TOTAL WT. #	264.35



					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)		DESCRIPTION 8' DOUBLE MONOPOLE TRIPLE T-ARM 12"-45" W/ 2-3/8" ANTENNA PIPES		SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY				
B	UPDATED TEMPLATE			NCS	CSL	9/5/2024	CPD NO.	DRAWN BY	ENG. APPROVAL	PART NO.	3 OF 10 PAGE		
A	REDRAWN IN INV, UPDATED TABLES AND VIEW			SP1	KC8	7/25/2012	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS		NCS	CMFL 12/30/2025		1/6/2026	LWRM
REV	DESCRIPTION OF REVISIONS			CPD	BY	DATE	CLASS	SUB	DRAWING USAGE	CHECKED BY		DWG. NO.	RMVD8-3-2120
REVISION HISTORY							PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.						



PARTS LIST					
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.
1	6	X-178627	BENT EXTENSION BRACKET	15 in	15.94
2	18	A5802	5/8" x 2" HDG A325 HEX BOLT		0.27
3	18	G58LW	5/8" HDG LOCKWASHER		0.03
4	18	A58NUT	5/8" HDG A325 HEX NUT		0.13
				TOTAL WT. #	105.90

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
8' DOUBLE MONOPOLE
TRIPLE T-ARM 12"-45"
W/ 2-3/8" ANTENNA PIPES

CPD NO. NCS		DRAWN BY CMFL 12/30/2025	ENG. APPROVAL 1/6/2026
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 1/6/2026




Engineering
Support Team:
sp1engineering@valmont.com

PART NO. RM-ADK
DWG. NO. RMVD8-3-2120

NOTES:

- VALMONT IS SUPPLYING THE VALUE OF THE "W" DIMENSIONS TO ASSIST THE ERECTOR IN PRE-ASSEMBLING THE CLAMPS & THREADED RODS.
- THE CIRCUMFERENCE IS THE DISTANCE MEASURED AROUND THE OUTSIDE OF THE POLE AT THE LOCATION OF THE CLAMP.



CIRCUMF	DIA (REF)	W	CIRCUMF	DIA (REF)	W	CIRCUMF	DIA (REF)	W	CIRCUMF	DIA (REF)	W	CIRCUMF	DIA (REF)	W	CIRCUMF	DIA (REF)	W
38"	12-1/8"	9-3/16"	63"	20-1/16"	16-3/16"	88"	28"	23-3/16"	113"	36"	30-3/16"	138'	43-15/16"	37-1/4"	163"	51-7/8"	44-5/16"
39"	12-7/16"	9-7/16"	64"	20-3/8"	16-7/16"	89"	28-5/16"	23-1/2"	114"	36-5/16"	30-1/2"	139"	44-1/4"	37-1/2"	164"	52-3/16"	44-9/16"
40"	12-3/4"	9-3/4"	65"	20-11/16"	16-3/4"	90"	28-5/8"	23-3/4"	115"	36-5/8"	30-3/4"	140"	44-9/16"	37-13/16"	165'	52-1/2"	44-7/8"
41"	13-1/16"	10"	66"	21"	17"	91"	28-15/16"	24-1/16"	116"	36-15/16"	31-1/16"	141"	44-7/8"	38-1/16"	166"	52-13/16"	45-3/16"
42"	13-3/8"	10-5/16"	67"	21-5/16"	17-5/16'	92"	29-5/16"	24-5/16"	117"	37-1/4"	31-5/16"	142"	45-3/16"	38-3/8"	167"	53-3/16"	45-7/16"
43"	13-11/16"	10-9/16"	68"	21-5/8"	17-9/16"	93"	29-5/8"	24-5/8"	118"	37-9/16"	31-5/8"	143"	45-1/2"	38-9/16"	168"	53-1/2"	45-3/4"
44"	14"	10-7/8"	69"	21-15/16"	17-7/8"	94"	29-15/16"	24-7/8"	119"	37-7/8"	31-7/8"	144"	45-13/16"	38-7/8"	169"	53-13/16"	46"
45"	14-5/16"	11-2/16"	70"	22-5/16"	18-1/8"	95"	30-1/4"	25-1/8"	120"	38-3/16"	32-3/16"	145"	46-1/8"	39-1/8"	170"	54-1/8"	465/16"
46"	14-5/8"	11-3/8"	71"	22-5/8"	18-7/16"	96"	30-9/16"	25-7/16"	121"	38-1/2"	32-7/16"	146"	46-1/2"	39-7/16"	171"	54-7/16"	46-9/16"
47"	14-15/16"	11-11/16"	72"	22-15/16"	18-11/16"	97"	30-7/8"	25-11/16"	122"	38-13/16"	32-3/4"	147"	46-13/16"	39-3/4"	172"	54-3/4"	46-7/8"
48"	15-1/4"	11-15/16"	73"	23-1/4"	19"	98"	31-3/16"	26"	123"	39-1/8"	33"	148"	47-1/8"	40"	173"	55-1/16"	47-1/8"
49"	15-5/8"	12-1/4"	74"	23-9/16"	19-1/4"	99"	31-1/2"	26-1/4"	124"	39-1/2"	33-5/16"	149"	47-7/16"	40-5/16"	174"	55-3/8"	47-7/16"
50"	15-15/16"	12-1/2"	75"	23-7/8"	19-9/16"	100"	31-13/16"	26-9/16"	125"	39-13/16"	33-9/16"	150"	47-3/4"	40-9/16"	175"	55-11/16"	47-11/16"
51"	16-1/4"	12-13/16"	76"	24-1/4"	19-13/16"	101"	32-1/8"	26-13/16"	126"	40-1/8"	33-7/8"	151"	48-1/16"	40-7/8"	176"	56"	48"
52"	16-9/16"	13-1/16"	77"	24-1/2"	20-1/8"	102"	32-7/16"	27"	127"	40-7/16"	34-1/8"	152"	48-3/8"	41-3/16"	177"	56-5/16"	48-1/4"
53"	16-7/8"	13-3/8"	78"	24-13/16"	20-3/8"	103"	32-13/16"	27-3/8"	128"	40-3/4"	34-7/16"	153"	48-11/16"	41-7/16"	178"	56-11/16"	48-9/16"
54"	17-3/16"	13-5/8"	79"	25-1/8"	20-11/16"	104"	33-1/8"	27-11/16"	129"	41-1/16"	31-11/16"	154'	49"	41-3/4"	179"	57"	48-7/8"
55"	17-1/2"	13-15/16"	80"	25-7/16'	20-15/16"	105"	33-7/16"	27-15/16"	130"	41-3/8"	35"	155"	49-5/16"	42"	180"	57-5/16"	49-1/8"
56"	17-13/16"	14-3/16"	81"	25-13/16"	21-1/4"	106"	33-3/4"	28-1/4"	131"	41-11/16"	35-1/4"	156"	49-11/16"	42-5/16"	181"	57-5/8"	49-7/16"
57"	18-1/8"	14-1/2"	82"	26-1/8"	21-1/2"	107"	34-1/16"	28-1/2"	132"	42"	35-9/16"	157"	50"	42-5/8"	182"	57-15/16"	49-11/16"
58"	18-7/16"	14-3/4"	83"	26-7/16"	21-13/16"	108"	34-3/8"	28-13/16"	133"	42-5/16"	35-13/16"	158"	50-5/16"	42-7/8"	183"	58-1/4"	50"
59"	18-3/4"	15-1/16"	84"	26-3/4"	22-1/16"	109"	34-11/16"	29-1/16"	134"	42-5/8"	36-1/8"	159"	50-5/8"	43-3/16"	184"	58-9/16"	50-1/4"
60"	19-1/8"	15-5/16"	85"	27-1/16"	22-3/8"	110"	35"	29-3/8"	135"	43"	36-3/8"	160"	50-15/16"	43-7/16"	185"	58-7/8"	50-9/16"
61"	19-7/16"	15-5/8"	86"	27-3/8"	22-5/8"	111"	35-5/16"	29-5/8"	136"	43-5/16"	36-11/16"	161"	51-1/4"	43-3/4"	186"	59-3/16"	50-13/16"
62"	19-3/4"	15-7/8"	87"	27-11/16"	22-15/16"	112"	35-5/8"	29-15/16"	137"	43-5/8"	36-15/16"	162"	51-9/16"	44"	187"	59-1/2"	51"
															188"	59-13/16"	51-3/8"
															189"	60-3/16"	51-11/16"

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION

8' DOUBLE MONOPOLE
TRIPLE T-ARM 12"-45"
W/ 2-3/8" ANTENNA PIPES

CPD NO.
NCS

DRAWN BY
CMFL 12/30/2025

ENG. APPROVAL
1/6/2026

CLASS
87

SUB
02

DRAWING USAGE
CUSTOMER

CHECKED BY
JET 1/6/2026

SITE PRO 1

Engineering Support Team:
sp1engineering@valmont.com

A valmont COMPANY




PART NO.
LWRM

DWG. NO.
RMVD8-3-2120

PAGE
5 OF 10

NOTE:

ENSURE EQUAL DISTANCE
BETWEEN BRACKETS "X"
AND AT 120° APART



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$)
DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030''$)
ALL OTHER ASSEMBLY ($\pm 0.060''$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
8' DOUBLE MONOPOLE
TRIPLE T-ARM 12"-45"
W/ 2-3/8" ANTENNA PIPES


CPD NO. NCS		DRAWN BY CMFL 12/30/2025	ENG. APPROVAL 1/6/2026
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 1/6/2026




Engineering
Support Team:
sp1engineering@valmont.com

PART NO. LWRM	DWG. NO. RMVD8-3-2120
------------------	--------------------------


INSTALL ORDER



INITIAL TIGHTENING



FINAL TIGHTENING



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.



DESCRIPTION
8' DOUBLE MONOPOLE
TRIPLE T-ARM 12"-45"
W/ 2-3/8" ANTENNA PIPES

CPD NO. NCS		DRAWN BY CMFL 12/30/2025	ENG. APPROVAL 1/6/2026
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 1/6/2026



Engineering
Support Team:
sp1engineering@valmont.com


PART NO. LWRM	DWG. NO. RMVD8-3-2120
------------------	--------------------------




NO MOUNT PIPE VIEW

PARTS LIST							
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	SP216	P-SP216	LARGE PIPE SUPPORT CROSS PLATE		30.46	30.46
2	1	SCX3		CROSSOVER PLATE	9 1/4 in	7.19	7.19
3	2	X-100064		CLAMP (4" V-CLAMP) GALVANIZED	6 in	0.92	1.84
4	2	X-115765		5" V-CLAMP	7 1/16 in	1.09	2.17
5	12	G12065		1/2" x 6-1/2" HDG HEX BOLT GR5 FULL THREAD	6 1/2 in	0.41	4.91
6	16	G12FW		1/2" HDG USS FLATWASHER	3/32 in	0.03	0.55
7	4	G12LW		1/2" HDG LOCKWASHER	1/8 in	0.01	0.06
8	4	G12NUT		1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.29
						TOTAL WT. #	47.11

					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)		DESCRIPTION 8' DOUBLE MONOPOLE TRIPLE T-ARM 12"-45" W/ 2-3/8" ANTENNA PIPES			SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY								
A	UPDATED TO SUPER			NCS	CSL	12/30/2025	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. NCS	DRAWN BY CMFL 12/30/2025		ENG. APPROVAL 1/6/2026		PART NO. SP216-CK		8 OF 10 PAGE	
REV	DESCRIPTION OF REVISIONS			CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY JET 1/6/2026		DWG. NO. RMVD8-3-2120		
REVISION HISTORY																		




PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-SP216	LARGE SUPPORT CROSS PLATE		22.08	22.08
2	4	X-UB1358	1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT	5 1/2 in	0.82	3.27
3	2	X-UB5458	5/8 X 4-5/8" X 7" X 3" U-BOLT	7 in	1.63	3.25
4	8	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.57
5	8	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.11
6	8	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.27
7	4	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	0.52
4	4	G58LW	5/8" HDG LOCKWASHER		0.03	0.10
9	4	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	0.28
					TOTAL WT. #	28.84



REVISION HISTORY					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)					DESCRIPTION 8' DOUBLE MONOPOLE TRIPLE T-ARM 12"-45" W/ 2-3/8" ANTENNA PIPES					SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont COMPANY				
					CPD NO.		DRAWN BY		ENG. APPROVAL		PART NO.			9 OF 10 PAGE					
					NCS		CMFL 12/30/2025		1/6/2026		SP216								
					CLASS	SUB	DRAWING USAGE		CHECKED BY		DWG. NO.								
87	02	CUSTOMER		JET		1/6/2026			RMVD8-3-2120										
					PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS														
					PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.														
A	REDRAWN IN INV, UPDATED VIEWS & TABLE					KC8	8/17/2012												
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE												

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-SP219	SMALL SUPPORT CROSS PLATE	8 1/4 in	8.61	8.61
2	2	X-UB1306	1/2" X 3-5/8" X 6" X 3" U-BOLT (HDG.)		0.83	1.66
3	2	X-UB1212	1/2" X 2-1/2" X 4-1/2" X 2" U-BOLT	4 1/2 in	0.66	1.32
4	8	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.27
5	8	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.11
6	8	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.57
					TOTAL WT. #	12.47



	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS AND ANGLES ARE ± 1/2 DEGREE ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")			DESCRIPTION 8' DOUBLE MONOPOLE TRIPLE T-ARM 12"-45" W/ 2-3/8" ANTENNA PIPES			SITE PRO1 A valmont COMPANY Engineering Support Team: sp1engineering@valmont.com		
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. NCS	DRAWN BY CMFL 12/30/2025	ENG. APPROVAL 1/6/2026	PART NO. SP219	PAGE 10 OF 10	
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY JET 1/6/2026		DWG. NO. RMVD8-3-2120