


| PARTS LIST |     |              |                                                                                                        |             |         |
|------------|-----|--------------|--------------------------------------------------------------------------------------------------------|-------------|---------|
| ITEM       | QTY | PART NO.     | PART DESCRIPTION                                                                                       | UNIT WT.    | NET WT. |
| 1          | 2   | FLX3-SD      | FLEXIBLE RING MOUNT 3-SIDED ASSEMBLY                                                                   | 280.11      | 560.23  |
| 2          | 3   | T3D10-1NC-A3 | HEAVY T1-10-3 10' NOMINAL SINGLE-SECTOR DUAL-LEVEL T-ARM KIT, W/ 3 MAST PIPES, 3' STANDOFF & NO COLLAR | 637.28      | 1911.83 |
| 3          | 3   | PUCK-CB-272  | 2-3/8" X 72" PUCK CORNER BRACE KIT                                                                     | 36.93       | 110.78  |
|            |     |              |                                                                                                        | TOTAL WT. # | 2582.83 |



FINISH:  
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES (± 0.030")  
DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES  
BENDS AND ANGLES ARE ± 1/2 DEGREE  
ALL OTHER MACHINING (± 0.030")  
ALL OTHER ASSEMBLY (± 0.060")

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T3-10-3  
10' NOMINAL 3-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 9 MAST PIPES, 3' STANDOFF & COLLAR


|                |           |                           |  |
|----------------|-----------|---------------------------|--|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/26/2025 |  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  |

ENG. APPROVAL  
  
CHECKED BY



Engineering  
Support Team:  
sp1engineering@valmont.com

|                        |
|------------------------|
| PART NO.<br>T3D10-3-A3 |
| DWG. NO.<br>T3D10-3-A3 |



TOP VIEW

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: [WWW.SITEPRO1.COM/PATENTS](http://WWW.SITEPRO1.COM/PATENTS)

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T3-10-3  
10' NOMINAL 3-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 9 MAST PIPES, 3' STANDOFF & COLLAR



|                |           |                           |               |
|----------------|-----------|---------------------------|---------------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/26/2025 | ENG. APPROVAL |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER | CHECKED BY    |



Engineering  
Support Team:  
[sp1engineering@valmont.com](mailto:sp1engineering@valmont.com)


|                        |
|------------------------|
| PART NO.<br>T3D10-3-A3 |
| DWG. NO.<br>T3D10-3-A3 |

| PARTS LIST |     |           |             |                                            |             |         |
|------------|-----|-----------|-------------|--------------------------------------------|-------------|---------|
| ITEM       | QTY | PART NO.  | BOX NO.     | PART DESCRIPTION                           | UNIT WT.    | NET WT. |
| 1          | 3   | FLX-SDSS  |             | FLEXIBLE RING MOUNT SINGLE SECTOR ASSEMBLY | 72.51       | 217.54  |
| 2          | 1   | LWRM-HDWE | P-LWRM-HDWE | HARDWARE KIT FOR 3-SIDED COLLAR            | 62.57       | 62.57   |
|            |     |           |             |                                            | TOTAL WT. # | 280.11  |



**NOTES:**

1. LOCKNUTS CANNOT BE LOOSEND.
2. TIGHTEN LOCKNUTS AFTER DESIRED POSITION (SEE PAGE 3).
3. FITS 6" X 6" HOLE PATTERN




FINISH:  
HOT DIP GALVANIZED.

|                  |                                         |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |  |                           |                                                                                                                                                                                                                                                 |               |  |                     |  |                 |
|------------------|-----------------------------------------|--|--|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|---------------------|--|-----------------|
|                  |                                         |  |  |     | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |            | <div>DESCRIPTION</div> <div>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</div>                                                                                                |  |                           | <div><div><div>SITE PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |               |  |                     |  |                 |
| C                | UPDATED NOTES AND ADDED CABLE GUIDE REF |  |  | NCS | ADB                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 12/10/2025 | CPD NO.<br>NCS                                                                                                                                                                                                                                  |  | DRAWN BY<br>ADB 8/26/2025 |                                                                                                                                                                                                                                                 | ENG. APPROVAL |  | PART NO.<br>FLX3-SD |  | 3 OF 18<br>PAGE |
| B                | ADDED NOTE TO PAGE 1                    |  |  | NCS | ADB                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 3/26/2025  |                                                                                                                                                                                                                                                 |  |                           |                                                                                                                                                                                                                                                 |               |  |                     |  |                 |
| A                | CHANGED KITS                            |  |  | NCS | NSP                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 10/3/2024  | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  |                           |                                                                                                                                                                                                                                                 |               |  |                     |  |                 |
| REV              | DESCRIPTION OF REVISIONS                |  |  | CPD | BY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | DATE       | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  |                           |                                                                                                                                                                                                                                                 |               |  |                     |  |                 |
| REVISION HISTORY |                                         |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |  |                           |                                                                                                                                                                                                                                                 |               |  |                     |  |                 |

**NOTE:**  
ENSURE EQUAL DISTANCE  
BETWEEN BRACKETS "X"  
AND AT 120° APART FOR PLATFORMS.

DEVIATION IS ACCEPTABLE  
WITH EOR APPROVAL.



**TOLERANCE NOTES**

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: [WWW.SITEPRO1.COM/PATENTS](http://WWW.SITEPRO1.COM/PATENTS)

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION  
**HEAVY T3-10-3  
10' NOMINAL 3-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 9 MAST PIPES, 3' STANDOFF & COLLAR**


|                       |                  |                                  |               |
|-----------------------|------------------|----------------------------------|---------------|
| CPD NO.<br><b>NCS</b> |                  | DRAWN BY<br><b>ADB 8/26/2025</b> | ENG. APPROVAL |
| CLASS<br><b>87</b>    | SUB<br><b>02</b> | DRAWING USAGE<br><b>CUSTOMER</b> | CHECKED BY    |




Engineering  
Support Team:  
[sp1engineering@valmont.com](mailto:sp1engineering@valmont.com)

|                               |                 |
|-------------------------------|-----------------|
| PART NO.<br><b>FLX3-SD</b>    | PAGE<br>4 OF 18 |
| DWG. NO.<br><b>T3D10-3-A3</b> |                 |








NOTE:  
CLAMP RING PIVOT WELDMENT SHOULD BE  
ASSEMBLED IN THE INNER HOLE OF WELDMENT



NOTE:  
FOR TRI-LOCKNUT INSTALLATION, ENSURE  
THE GROOVED SIDE IS ORIENTED AWAY FROM BOLT HEAD

DETAIL A



| PARTS LIST  |     |             |                                |          |         |
|-------------|-----|-------------|--------------------------------|----------|---------|
| ITEM        | QTY | PART NO.    | PART DESCRIPTION               | UNIT WT. | NET WT. |
| 1           | 1   | X-CR-SDW    | FLEXIBLE RING MOUNT            | 42.23    | 42.23   |
| 2           | 2   | X-CR-PW12   | 12" CLAMP RING PIVOT WELDMENT  | 6.93     | 13.85   |
| 3           | 6   | X-CR-AGW    | ANGLE ON WELDMENT              | 2.20     | 13.18   |
| 4           | 8   | G5802       | 5/8" x 2" HDG HEX BOLT GR5     | 0.27     | 2.16    |
| 5           | 8   | G58TRI-LNUT | 5/8" HDG HEAVY 2H TRI-LOCK NUT | 0.14     | 1.10    |
| TOTAL WT. # |     |             |                                |          | 72.51   |

FINISH:  
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T3-10-3  
10' NOMINAL 3-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 9 MAST PIPES, 3' STANDOFF & COLLAR


|                |           |                           |  |               |  |
|----------------|-----------|---------------------------|--|---------------|--|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/26/2025 |  | ENG. APPROVAL |  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY    |  |



Engineering  
Support Team:  
sp1engineering@valmont.com

|                        |
|------------------------|
| PART NO.<br>FLX-SDSS   |
| DWG. NO.<br>T3D10-3-A3 |

| PARTS LIST  |     |          |                                |          |         |
|-------------|-----|----------|--------------------------------|----------|---------|
| ITEM        | QTY | PART NO. | PART DESCRIPTION               | UNIT WT. | NET WT. |
| 1           | 9   | G58R-48  | 5/8" X 48" THREADED ROD (HDG.) | 4.43     | 39.84   |
| 2           | 9   | G58R-24  | 5/8" X 24" THREADED ROD (HDG.) | 2.21     | 19.92   |
| 3           | 18  | G58LW    | 5/8" HDG LOCKWASHER            | 0.03     | 0.47    |
| 4           | 18  | G58NUT   | 5/8" HDG HEAVY 2H HEX NUT      | 0.13     | 2.34    |
| TOTAL WT. # |     |          |                                |          | 62.57   |



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T3-10-3  
10' NOMINAL 3-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 9 MAST PIPES, 3' STANDOFF & COLLAR



|                |           |                           |  |               |  |
|----------------|-----------|---------------------------|--|---------------|--|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/26/2025 |  | ENG. APPROVAL |  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY    |  |



Engineering  
Support Team:  
sp1engineering@valmont.com

|                        |                 |
|------------------------|-----------------|
| PART NO.<br>LWRM-HDWE  | PAGE<br>7 OF 18 |
| DWG. NO.<br>T3D10-3-A3 |                 |

CABLE GUIDE REFERENCE



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T3-10-3  
10' NOMINAL 3-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 9 MAST PIPES, 3' STANDOFF & COLLAR


|         |               |
|---------|---------------|
| CPD NO. | DRAWN BY      |
| NCS     | ADB 8/26/2025 |
| CLASS   | DRAWING USAGE |
| 87      | CUSTOMER      |
| SUB     |               |
| 02      |               |

|               |
|---------------|
| ENG. APPROVAL |
| CHECKED BY    |

|               |                                                            |
|---------------|------------------------------------------------------------|
| SITE<br>PRO 1 | Engineering<br>Support Team:<br>sp1engineering@valmont.com |
|               |                                                            |

|                 |
|-----------------|
| PART NO.        |
| CABLE GUIDE REF |
| DWG. NO.        |
| T3D10-3-A3      |




| PARTS LIST |     |          |           |                                                                      |        |             |         |  |
|------------|-----|----------|-----------|----------------------------------------------------------------------|--------|-------------|---------|--|
| ITEM       | QTY | PART NO. | BOX NO.   | PART DESCRIPTION                                                     | LENGTH | UNIT WT.    | NET WT. |  |
| 1          | 2   | SV197-36 |           | 36" SUPPORT ARM KIT                                                  |        | 70.12       | 140.24  |  |
| 2          | 2   | SP216-CK |           | PIPE SUPPORT CROSS PLATE CENTER KIT                                  |        | 47.47       | 94.94   |  |
| 3          | 4   | SCX45-K  | P-SCX45-K | CROSSOVER PLATE KIT 3-1/2" X 2-7/8"                                  |        | 10.09       | 40.36   |  |
| 4          | 3   | P30120   |           | 2 1/2" SCH. 40 PIPE (2.875" O.D. X 0.203" - A53 GR. B Fy=35 ksi min) | 120 in | 61.55       | 184.65  |  |
| 5          | 2   | P3132    |           | 3" SCH. 40 PIPE (3.5" O.D. X 0.226" - A53 GR. B Fy=35 ksi min)       | 132 in | 88.54       | 177.08  |  |
|            |     |          |           |                                                                      |        | TOTAL WT. # | 637.28  |  |



FINISH:  
HOT DIP GALVANIZED.

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                                                                                                                                                  |                                              |                                              |                                                                                                                                                                                                                                      |                                    |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
|  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |  | <div>DESCRIPTION</div> <div>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |                                              |                                              | <div><div><div>SITE PRO 1</div><div>A valmont  COMPANY</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> |                                    |
|  | <div>PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS</div>                                                                                                                                                                                                                                                                                                                                                                                                                           |  | <div>CPD NO.</div> <div>NCS</div>                                                                                                                | <div>DRAWN BY</div> <div>ADB 8/26/2025</div> | <div>ENG. APPROVAL</div>                     | <div>PART NO.</div> <div>T3D10-1NC-A3</div>                                                                                                                                                                                          | <div>PAGE</div> <div>9 OF 18</div> |
|  | <div>PROPRIETARY NOTE:<br/>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.</div>                                                                                                                                                                                                                       |  | <div>CLASS</div> <div>87</div>                                                                                                                   | <div>SUB</div> <div>02</div>                 | <div>DRAWING USAGE</div> <div>CUSTOMER</div> | <div>CHECKED BY</div>                                                                                                                                                                                                                |                                    |

NOTE: COLLARS SOLD SEPARATELY  
FLX3-SD OR FLX4-SD



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: [WWW.SITEPRO1.COM/PATENTS](http://WWW.SITEPRO1.COM/PATENTS)

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T3-10-3  
10' NOMINAL 3-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 9 MAST PIPES, 3' STANDOFF & COLLAR

CPD NO.  
NCS

DRAWN BY  
ADB 8/26/2025

ENG. APPROVAL

CLASS  
87

SUB  
02

DRAWING USAGE  
CUSTOMER

CHECKED BY





Engineering  
Support Team:  
[sp1engineering@valmont.com](mailto:sp1engineering@valmont.com)

PART NO.  
T3D10-1NC-A3

DWG. NO.  
T3D10-3-A3


| PARTS LIST  |     |            |                                        |          |         |
|-------------|-----|------------|----------------------------------------|----------|---------|
| ITEM        | QTY | PART NO.   | PART DESCRIPTION                       | UNIT WT. | NET WT. |
| 1           | 1   | X-SV197-36 | SUPPORT ARM WELDMENT - 36"             | 67.93    | 67.93   |
| 2           | 1   | SV197-HDWE | STANDOFF TO COLLAR ATTACHMENT HARDWARE | 2.18     | 2.18    |
| TOTAL WT. # |     |            |                                        | 70.12    |         |



FINISH:  
HOT DIP GALVANIZED.



|                  |                                     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                             |     |                                                                                                                                                  |                                                                                                                                                                                                                                                 |               |                                                                                                                                            |  |               |          |             |                  |                           |            |                            |
|------------------|-------------------------------------|--|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------|--|---------------|----------|-------------|------------------|---------------------------|------------|----------------------------|
|                  |                                     |  |  |  | <b>TOLERANCE NOTES</b><br><br>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br>SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030''$ )<br>DRILLED AND GAS CUT HOLES ( $\pm 0.030''$ ) - NO CONING OF HOLES<br>LASER CUT EDGES AND HOLES ( $\pm 0.010''$ ) - NO CONING OF HOLES<br>BENDS AND ANGLES ARE $\pm 1/2$ DEGREE<br>ALL OTHER MACHINING ( $\pm 0.030''$ )<br>ALL OTHER ASSEMBLY ( $\pm 0.060''$ ) |     | <div>DESCRIPTION</div> <div>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |                                                                                                                                                                                                                                                 |               | <div><div><div>SITE PRO 1</div><div>Engineering Support Team:<br/>sp1engineering@valmont.com</div></div><div>A valmont COMPANY</div></div> |  |               |          |             |                  |                           |            |                            |
| A                | REVISED BOM TO REMONE LENGTH COLUMN |  |  |  | SP1                                                                                                                                                                                                                                                                                                                                                                                                         | ADB | 11/26/2024                                                                                                                                       |                                                                                                                                                                                                                                                 | CPD NO.       | DRAWN BY                                                                                                                                   |  | ENG. APPROVAL |          | PART NO.    | 11 OF 18<br>PAGE |                           |            |                            |
| REV              | DESCRIPTION OF REVISIONS            |  |  |  | CPD                                                                                                                                                                                                                                                                                                                                                                                                         | BY  | DATE                                                                                                                                             | NCS                                                                                                                                                                                                                                             | ADB 8/26/2025 |                                                                                                                                            |  |               | SV197-36 |             |                  |                           |            |                            |
| REVISION HISTORY |                                     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                             |     |                                                                                                                                                  | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |               |                                                                                                                                            |  |               |          |             |                  |                           |            |                            |
|                  |                                     |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                             |     |                                                                                                                                                  | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |               |                                                                                                                                            |  |               |          | CLASS<br>87 | SUB<br>02        | DRAWING USAGE<br>CUSTOMER | CHECKED BY | DWG. NO.<br><br>T3D10-3-A3 |

| PARTS LIST |     |          |                                 |          |             |         |
|------------|-----|----------|---------------------------------|----------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                | LENGTH   | UNIT WT.    | NET WT. |
| 1          | 4   | A58234   | 5/8" x 2-3/4" HDG A325 HEX BOLT | 2 3/4 in | 0.36        | 1.42    |
| 2          | 4   | A58FW    | 5/8" HDG A325 FLATWASHER        |          | 0.03        | 0.14    |
| 3          | 4   | G58LW    | 5/8" HDG LOCKWASHER             |          | 0.03        | 0.10    |
| 4          | 4   | A58NUT   | 5/8" HDG A325 HEX NUT           |          | 0.13        | 0.52    |
|            |     |          |                                 |          | TOTAL WT. # | 2.18    |



FINISH:  
HOT DIP GALVANIZED.


|  |                                                                                                                                                                                                                                                                                                                                                                                    |  |  |                                                                                                                                                  |                           |                           |                                                                                                                                                                                                                                                     |                        |  |                  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|--|------------------|
|  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (± 0.030")<br/>DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE ± 1/2 DEGREE<br/>ALL OTHER MACHINING (± 0.030")<br/>ALL OTHER ASSEMBLY (± 0.060")</div> |  |  | <div>DESCRIPTION</div> <div>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |                           |                           | <div><div><div>SITE<br/>PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |                        |  | PAGE<br>12 OF 18 |
|  | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                                                                                                                                                       |  |  | CPD NO.<br>NCS                                                                                                                                   | DRAWN BY<br>ADB 8/26/2025 | ENG. APPROVAL             | PART NO.<br>SV197-HDWE                                                                                                                                                                                                                              |                        |  |                  |
|  | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.                                                                                                                                    |  |  | CLASS<br>87                                                                                                                                      | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER | CHECKED BY                                                                                                                                                                                                                                          | DWG. NO.<br>T3D10-3-A3 |  |                  |




NO MOUNT PIPE VIEW

| PARTS LIST |     |          |         |                                            |           |             |         |
|------------|-----|----------|---------|--------------------------------------------|-----------|-------------|---------|
| ITEM       | QTY | PART NO. | BOX NO. | PART DESCRIPTION                           | LENGTH    | UNIT WT.    | NET WT. |
| 1          | 1   | SP216    | P-SP216 | LARGE PIPE SUPPORT CROSS PLATE             |           | 30.46       | 30.46   |
| 2          | 1   | SCX3     |         | CROSSOVER PLATE                            | 9 1/4 in  | 7.19        | 7.19    |
| 3          | 2   | X-100064 |         | CLAMP (4" V-CLAMP) GALVANIZED              | 6 in      | 0.92        | 1.84    |
| 4          | 2   | X-115765 |         | 5" V-CLAMP                                 | 7 1/16 in | 1.09        | 2.17    |
| 5          | 12  | G12065   |         | 1/2" x 6-1/2" HDG HEX BOLT GR5 FULL THREAD | 6 1/2 in  | 0.41        | 4.91    |
| 6          | 16  | G12FW    |         | 1/2" HDG USS FLATWASHER                    | 3/32 in   | 0.03        | 0.55    |
| 7          | 4   | G12LW    |         | 1/2" HDG LOCKWASHER                        | 1/8 in    | 0.01        | 0.06    |
| 8          | 4   | G12NUT   |         | 1/2" HDG HEAVY 2H HEX NUT                  | 7/8 in    | 0.07        | 0.29    |
|            |     |          |         |                                            |           | TOTAL WT. # | 47.11   |

|                  |                          |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                  |            |                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                             |  |                |                           |                           |               |            |                        |                  |
|------------------|--------------------------|--|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------|---------------------------|---------------------------|---------------|------------|------------------------|------------------|
|                  |                          |  |  |  | <b>TOLERANCE NOTES</b><br><br>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br>SAWED, SHEARED AND GAS CUT EDGES ( <i>± 0.030"</i> )<br>DRILLED AND GAS CUT HOLES ( <i>± 0.030"</i> ) - NO CONING OF HOLES<br>LASER CUT EDGES AND HOLES ( <i>± 0.010"</i> ) - NO CONING OF HOLES<br>BENDS AND ANGLES ARE ± 1/2 DEGREE<br>ALL OTHER MACHINING ( <i>± 0.030"</i> )<br>ALL OTHER ASSEMBLY ( <i>± 0.060"</i> ) | <div>DESCRIPTION</div> <div>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |            |                                                                                                                                                                                                                                                 | <div><div><div>SITE PRO</div><div>1</div></div><div>Engineering Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |  |                |                           |                           |               |            |                        |                  |
| A                | UPDATED TO SUPER         |  |  |  | NCS                                                                                                                                                                                                                                                                                                                                                                                                               | CSL                                                                                                                                              | 12/30/2025 | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |                                                                                                                                                                                                                                             |  | CPD NO.<br>NCS | DRAWN BY<br>ADB 8/26/2025 |                           | ENG. APPROVAL |            | PART NO.<br>SP216-CK   | 13 OF 18<br>PAGE |
| REV              | DESCRIPTION OF REVISIONS |  |  |  | CPD                                                                                                                                                                                                                                                                                                                                                                                                               | BY                                                                                                                                               | DATE       | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |                                                                                                                                                                                                                                             |  | CLASS<br>87    | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER |               | CHECKED BY | DWG. NO.<br>T3D10-3-A3 |                  |
| REVISION HISTORY |                          |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                  |            |                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                             |  |                |                           |                           |               |            |                        |                  |




| PARTS LIST |     |          |                                    |          |             |         |
|------------|-----|----------|------------------------------------|----------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                   | LENGTH   | UNIT WT.    | NET WT. |
| 1          | 1   | X-SP216  | LARGE SUPPORT CROSS PLATE          |          | 22.08       | 22.08   |
| 2          | 2   | X-UB5458 | 5/8 X 4-5/8" X 7" X 3" U-BOLT      | 7 in     | 1.63        | 3.25    |
| 3          | 4   | G58FW    | 5/8" HDG USS FLATWASHER            | 1/8 in   | 0.07        | 0.28    |
| 4          | 4   | G58LW    | 5/8" HDG LOCKWASHER                |          | 0.03        | 0.10    |
| 5          | 4   | G58NUT   | 5/8" HDG HEAVY 2H HEX NUT          |          | 0.13        | 0.52    |
| 6          | 4   | X-UB1358 | 1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT | 5 1/2 in | 0.82        | 3.27    |
| 7          | 8   | G12FW    | 1/2" HDG USS FLATWASHER            | 3/32 in  | 0.03        | 0.27    |
| 8          | 8   | G12LW    | 1/2" HDG LOCKWASHER                | 1/8 in   | 0.01        | 0.11    |
| 9          | 8   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT          | 7/8 in   | 0.07        | 0.57    |
|            |     |          |                                    |          | TOTAL WT. # | 28.84   |



|                  |                                       |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |                                                                                                                                                  |                                                                                                                                                                                                                                                 |  |                                                                                                                                                                                                                                                     |                |                           |                           |               |                        |                  |
|------------------|---------------------------------------|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------|---------------------------|---------------|------------------------|------------------|
|                  |                                       |  |  |  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |     | <div>DESCRIPTION</div> <div>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |                                                                                                                                                                                                                                                 |  | <div><div><div>SITE<br/>PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |                |                           |                           |               |                        |                  |
| A                | REDRAWN IN INV, UPDATED VIEWS & TABLE |  |  |  | SP1                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | KC8 | 8/17/2012                                                                                                                                        | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  |                                                                                                                                                                                                                                                     | CPD NO.<br>NCS | DRAWN BY<br>ADB 8/26/2025 |                           | ENG. APPROVAL | PART NO.<br>SP216      | 14 OF 18<br>PAGE |
| REV              | DESCRIPTION OF REVISIONS              |  |  |  | CPD                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | BY  | DATE                                                                                                                                             | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  |                                                                                                                                                                                                                                                     | CLASS<br>87    | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER | CHECKED BY    | DWG. NO.<br>T3D10-3-A3 |                  |
| REVISION HISTORY |                                       |  |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |     |                                                                                                                                                  |                                                                                                                                                                                                                                                 |  |                                                                                                                                                                                                                                                     |                |                           |                           |               |                        |                  |

3-1/2" O.D. ANTENNA PIPE  
(ORDERED SEPRATELY)



2-7/8" O.D. ANTENNA PIPE  
(ORDERED SEPRATELY)

| PARTS LIST  |     |          |                                    |          |          |         |
|-------------|-----|----------|------------------------------------|----------|----------|---------|
| ITEM        | QTY | PART NO. | PART DESCRIPTION                   | LENGTH   | UNIT WT. | NET WT. |
| 1           | 1   | SCX4     | CROSSOVER PLATE                    | 8 1/2 in | 6.02     | 6.02    |
| 5           | 8   | G12FW    | 1/2" HDG USS FLATWASHER            | 3/32 in  | 0.03     | 0.27    |
| 6           | 8   | G12LW    | 1/2" HDG LOCKWASHER                | 1/8 in   | 0.01     | 0.11    |
| 4           | 8   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT          | 7/8 in   | 0.07     | 0.57    |
| 2           | 2   | X-UB1358 | 1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT | 5 1/2 in | 0.82     | 1.64    |
| 3           | 2   | X-UB1300 | 1/2 X 3" X 5" X 2" U-BOLT          | 5 in     | 0.74     | 1.48    |
| TOTAL WT. # |     |          |                                    |          |          | 9.92    |

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T3-10-3  
10' NOMINAL 3-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 9 MAST PIPES, 3' STANDOFF & COLLAR


|                |           |                           |               |
|----------------|-----------|---------------------------|---------------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/26/2025 | ENG. APPROVAL |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER | CHECKED BY    |



Engineering  
Support Team:  
sp1engineering@valmont.com



|                        |                  |
|------------------------|------------------|
| PART NO.<br>SCX45-K    | PAGE<br>15 OF 18 |
| DWG. NO.<br>T3D10-3-A3 |                  |

| PARTS LIST |     |          |                                                                  |        |             |         |
|------------|-----|----------|------------------------------------------------------------------|--------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                                                 | LENGTH | UNIT WT.    | NET WT. |
| 1          | 1   | P272     | 2" SCH. 40 PIPE (2.375" O.D. X 0.154" - A53 GR. B Fy=35 ksi min) | 72 in  | 23.07       | 23.07   |
| 2          | 2   | PUCK     | DISK CLAMP KIT                                                   |        | 6.93        | 13.86   |
|            |     |          |                                                                  |        | TOTAL WT. # | 36.93   |





FINISH:  
HOT DIP GALVANIZED.

|  |                                                                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                                                                      |                                  |                                  |                                                                                                                                 |                                |                  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------|
|  | <b>TOLERANCE NOTES</b><br><br>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br>SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )<br>DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES<br>LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES<br>BENDS AND ANGLES ARE $\pm 1/2$ DEGREE<br>ALL OTHER MACHINING ( $\pm 0.030"$ )<br>ALL OTHER ASSEMBLY ( $\pm 0.060"$ ) |  | DESCRIPTION<br><b>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</b> |                                  |                                  | <div><div>SITE PRO1</div><div>A valmont COMPANY</div></div> <div>Engineering Support Team:<br/>sp1engineering@valmont.com</div> |                                | PAGE<br>16 OF 18 |
|  |                                                                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                                                                      |                                  |                                  |                                                                                                                                 |                                |                  |
|  | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                                                                                                                                                                           |  | CPD NO.<br><b>NCS</b>                                                                                                                | DRAWN BY<br><b>ADB 8/26/2025</b> |                                  | ENG. APPROVAL                                                                                                                   | PART NO.<br><b>PUCK-CB-272</b> |                  |
|  | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.                                                                                                                                                        |  | CLASS<br><b>87</b>                                                                                                                   | SUB<br><b>02</b>                 | DRAWING USAGE<br><b>CUSTOMER</b> | CHECKED BY                                                                                                                      | DWG. NO.<br><b>T3D10-3-A3</b>  |                  |



|  |                                                                                                                                                                                                                                                                                                                                                                                    |  |  |                                                                                                                                                  |                           |                           |                                                                                                                                                                                                                                                    |                         |  |                  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--|------------------|
|  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (± 0.030")<br/>DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE ± 1/2 DEGREE<br/>ALL OTHER MACHINING (± 0.030")<br/>ALL OTHER ASSEMBLY (± 0.060")</div> |  |  | <div>DESCRIPTION</div> <div>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |                           |                           | <div><div><div>SITE<br/>PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div><div>A valmont  COMPANY</div></div> |                         |  | 17 OF 18<br>PAGE |
|  | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                                                                                                                                                       |  |  | CPD NO.<br>NCS                                                                                                                                   | DRAWN BY<br>ADB 8/26/2025 |                           | ENG. APPROVAL                                                                                                                                                                                                                                      | PART NO.<br>PUCK-CB-272 |  |                  |
|  | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.                                                                                                                                    |  |  | CLASS<br>87                                                                                                                                      | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER | CHECKED BY                                                                                                                                                                                                                                         | DWG. NO.<br>T3D10-3-A3  |  |                  |

| PARTS LIST  |     |          |                                            |          |          |
|-------------|-----|----------|--------------------------------------------|----------|----------|
| ITEM        | QTY | PART NO. | PART DESCRIPTION                           | LENGTH   | UNIT WT. |
| 1           | 1   | X-127594 | FLAT DISK CLAMP PLATE 4" CENTERS (GALV.)   |          | 2.51     |
| 2           | 2   | SCP      | CLAMP HALF, 1/2" x 5-3/4"                  |          | 1.29     |
| 3           | 2   | G12065   | 1/2" x 6-1/2" HDG HEX BOLT GR5 FULL THREAD | 6 1/2 in | 0.41     |
| 4           | 2   | G1204    | 1/2" x 4" HDG HEX BOLT GR5 FULL THREAD     | 4 in     | 0.27     |
| 5           | 4   | G12FW    | 1/2" HDG USS FLATWASHER                    | 3/32 in  | 0.03     |
| 6           | 4   | G12LW    | 1/2" HDG LOCKWASHER                        | 1/8 in   | 0.01     |
| 7           | 4   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT                  | 7/8 in   | 0.07     |
| TOTAL WT. # |     |          |                                            |          | 6.93     |



|                  |                          |     |            |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                 |                                                                                                                                                  |           |                           |  |                                                                                                                                                                                                                                  |  |                        |  |                  |
|------------------|--------------------------|-----|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------|--|------------------|
|                  |                          |     |            | <b>TOLERANCE NOTES</b><br><br>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br>SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030''$ )<br>DRILLED AND GAS CUT HOLES ( $\pm 0.030''$ ) - NO CONING OF HOLES<br>LASER CUT EDGES AND HOLES ( $\pm 0.010''$ ) - NO CONING OF HOLES<br>BENDS AND ANGLES ARE $\pm 1/2$ DEGREE<br>ALL OTHER MACHINING ( $\pm 0.030''$ )<br>ALL OTHER ASSEMBLY ( $\pm 0.060''$ ) |                                                                                                                                                                                                                                                 | <div>DESCRIPTION</div> <div>HEAVY T3-10-3<br/>10' NOMINAL 3-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 9 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |           |                           |  | <div><div><div>SITE PRO 1</div><div>A valmont  COMPANY</div></div><div>Engineering Support Team:<br/>sp1engineering@valmont.com</div></div> |  |                        |  |                  |
|                  |                          |     |            |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                 | CPD NO.<br>NCS                                                                                                                                   |           | DRAWN BY<br>ADB 8/26/2025 |  | ENG. APPROVAL                                                                                                                                                                                                                    |  | PART NO.<br>PUCK       |  |                  |
| A                | REVISED                  | ADB | 11/26/2024 | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                 | CLASS<br>87                                                                                                                                      | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY                                                                                                                                                                                                                       |  | DWG. NO.<br>T3D10-3-A3 |  | 18 OF 18<br>PAGE |
| REV              | DESCRIPTION OF REVISIONS |     | BY         | DATE                                                                                                                                                                                                                                                                                                                                                                                                        | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |                                                                                                                                                  |           |                           |  |                                                                                                                                                                                                                                  |  |                        |  |                  |
| REVISION HISTORY |                          |     |            |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                 |                                                                                                                                                  |           |                           |  |                                                                                                                                                                                                                                  |  |                        |  |                  |