


PARTS LIST					
ITEM	QTY	PART NO.	PART DESCRIPTION	UNIT WT.	NET WT.
1	2	FLX3-SD	FLEXIBLE RING MOUNT 3-SIDED ASSEMBLY	280.11	560.23
2	3	T3D12-1NC-A4	HEAVY T1-12-4 12' NOMINAL SINGLE-SECTOR DUAL-LEVEL T-ARM KIT, W/ 4 MAST PIPES, 3' STANDOFF & NO COLLAR	810.96	2432.89
3	3	PUCK-CB-272	2-3/8" X 72" PUCK CORNER BRACE KIT	36.93	110.78
TOTAL WT. #					3103.89



FINISH:
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR

CPD NO. NCS		DRAWN BY ADB 8/26/2025		ENG. APPROVAL 2/25/2026	
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY SDR	2/25/2026



Engineering
Support Team:
sp1engineering@valmont.com

PART NO. T3D12-3-A4	PAGE 1 OF 17
DWG. NO. T3D12-3-A4	



TOP VIEW

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR



CPD NO. NCS		DRAWN BY ADB 8/26/2025	ENG. APPROVAL 2/25/2026
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 2/25/2026



Engineering
Support Team:
sp1engineering@valmont.com


PART NO.	T3D12-3-A4
DWG. NO.	T3D12-3-A4

PARTS LIST						
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	UNIT WT.	NET WT.
1	3	FLX-SDSS		FLEXIBLE RING MOUNT SINGLE SECTOR ASSEMBLY	72.51	217.54
2	1	LWRM-HDWE	P-LWRM-HDWE	HARDWARE KIT FOR 3-SIDED COLLAR	62.57	62.57
					TOTAL WT. #	280.11



FINISH:
HOT DIP GALVANIZED.


- NOTES:**
1. LOCKNUTS CANNOT BE LOOSEND.
 2. TIGHTEN LOCKNUTS AFTER DESIRED POSITION (SEE PAGE 3).
 3. FITS 6" X 6" HOLE PATTERN



					TOLERANCE NOTES			DESCRIPTION			SITE PRO 1		Engineering Support Team: sp1engineering@valmont.com	
					TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$) DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030"$) ALL OTHER ASSEMBLY ($\pm 0.060"$)			HEAVY T3-12-4 12' NOMINAL 3-SECTOR DUAL-LEVEL T-ARM KIT, W/ 12 MAST PIPES, 3' STANDOFF & COLLAR			A valmont COMPANY			
C	UPDATED NOTES AND ADDED CABLE GUIDE REF	NCS	ADB	12/10/2025	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO.	DRAWN BY	ENG. APPROVAL	PART NO.		FLX3-SD	
B	ADDED NOTE TO PAGE 1	NCS	ADB	3/26/2025				NCS	ADB	8/26/2025				
A	CHANGED KITS	NCS	NSP	10/3/2024				CLASS	SUB	DRAWING USAGE	CHECKED BY		DWG. NO.	
REV	DESCRIPTION OF REVISIONS	CPD	BY	DATE	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			87	02	CUSTOMER	SDR		T3D12-3-A4	
REVISION HISTORY														

NOTE:
ENSURE EQUAL DISTANCE
BETWEEN BRACKETS "X"
AND AT 120° APART FOR PLATFORMS.

DEVIATION IS ACCEPTABLE
WITH EOR APPROVAL.



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR




CPD NO. NCS		DRAWN BY ADB 8/26/2025	ENG. APPROVAL 2/25/2026
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 2/25/2026



Engineering
Support Team:
sp1engineering@valmont.com




PART NO. FLX3-SD	PAGE 4 OF 17
DWG. NO. T3D12-3-A4	

INSTALL ORDER






INITIAL TIGHTENING

NOTE:
DURING INITIAL TIGHTENING, P1 AND P2 MUST BE TIGHTENED FIRST
TO PULL THE UPPER CLAMP PLATES INTO FULL CONTACT WITH THE POLE.
ENSURE THE CLAMP MAKES TOP CONTACT BEFORE PROCEEDING WITH ANY ADDITIONAL TIGHTENING.



FINAL TIGHTENING



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION
**HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR**

CPD NO. NCS		DRAWN BY ADB 8/26/2025	ENG. APPROVAL 2/25/2026
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 2/25/2026




Engineering
Support Team:
sp1engineering@valmont.com

PART NO. FLX3-SD
DWG. NO. T3D12-3-A4






NOTE:
CLAMP RING PIVOT WELDMENT SHOULD BE
ASSEMBLED IN THE INNER HOLE OF WELDMENT



NOTE:
FOR TRI-LOCKNUT INSTALLATION, ENSURE
THE GROOVED SIDE IS ORIENTED AWAY FROM BOLT HEAD

DETAIL A



PARTS LIST					
ITEM	QTY	PART NO.	PART DESCRIPTION	UNIT WT.	NET WT.
1	1	X-CR-SDW	FLEXIBLE RING MOUNT	42.23	42.23
2	2	X-CR-PW12	12" CLAMP RING PIVOT WELDMENT	6.93	13.85
3	6	X-CR-AGW	ANGLE ON WELDMENT	2.20	13.18
4	8	G5802	5/8" x 2" HDG HEX BOLT GR5	0.27	2.16
5	8	G58TRI-LNUT	5/8" HDG HEAVY 2H TRI-LOCK NUT	0.14	1.10
TOTAL WT. #					72.51

FINISH:
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR


CPD NO. NCS		DRAWN BY ADB 8/26/2025		ENG. APPROVAL 2/25/2026	
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY SDR	2/25/2026



Engineering
Support Team:
sp1engineering@valmont.com

PART NO. FLX-SDSS	PAGE 6 OF 17
DWG. NO. T3D12-3-A4	

PARTS LIST					
ITEM	QTY	PART NO.	PART DESCRIPTION	UNIT WT.	NET WT.
1	9	G58R-48	5/8" X 48" THREADED ROD (HDG.)	4.43	39.84
2	9	G58R-24	5/8" X 24" THREADED ROD (HDG.)	2.21	19.92
3	18	G58LW	5/8" HDG LOCKWASHER	0.03	0.47
4	18	G58NUT	5/8" HDG HEAVY 2H HEX NUT	0.13	2.34
TOTAL WT. #					62.57



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR



CPD NO. NCS		DRAWN BY ADB 8/26/2025		ENG. APPROVAL 2/25/2026	
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY SDR 2/25/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO. LWRM-HDWE	PAGE 7 OF 17
DWG. NO. T3D12-3-A4	

CABLE GUIDE REFERENCE



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR


CPD NO. NCS		DRAWN BY ADB 8/26/2025	ENG. APPROVAL 2/25/2026
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 2/25/2026



Engineering
Support Team:
sp1engineering@valmont.com

PART NO.
CABLE GUIDE REF
DWG. NO.
T3D12-3-A4

PARTS LIST								
ITEM	QTY	PART NO.	BOX NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.	
1	2	SV197-36		36" SUPPORT ARM KIT		70.12	140.24	
2	2	SP216	P-SP216	LARGE PIPE SUPPORT CROSS PLATE		30.46	60.93	
3	8	SCX45-K	P-SCX45-K	CROSSOVER PLATE KIT 3-1/2" X 2-7/8"		10.09	80.73	
4	4	P30120		2 1/2" SCH. 40 PIPE (2.875" O.D. X 0.203" - A53 GR. B Fy=35 ksi min)	120 in	61.55	246.20	
5	2	P3156-80		3" SCH. 80 PIPE (3.5" O.D. X 0.318" - A53 GR. B Fy=35 ksi min)	156 in	141.43	282.87	
						TOTAL WT. #	810.96	



FINISH:
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR




CPD NO. NCS		DRAWN BY ADB 8/26/2025		ENG. APPROVAL 2/25/2026	
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY SDR 2/25/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO. T3D12-1NC-A4	9 OF 17 PAGE
DWG. NO. T3D12-3-A4	

NOTE: COLLARS SOLD SEPARATELY
FLX3-SD OR FLX4-SD



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR



CPD NO.		DRAWN BY		ENG. APPROVAL	
NCS		ADB 8/26/2025		2/25/2026	
CLASS	SUB	DRAWING USAGE		CHECKED BY	
87	02	CUSTOMER		SDR 2/25/2026	



Engineering
Support Team:
sp1engineering@valmont.com

PART NO.	T3D12-1NC-A4
DWG. NO.	T3D12-3-A4


PARTS LIST					
ITEM	QTY	PART NO.	PART DESCRIPTION	UNIT WT.	NET WT.
1	1	X-SV197-36	SUPPORT ARM WELDMENT - 36"	67.93	67.93
2	1	SV197-HDWE	STANDOFF TO COLLAR ATTACHMENT HARDWARE	2.18	2.18
TOTAL WT. #				70.12	



FINISH:
HOT DIP GALVANIZED.


					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION HEAVY T3-12-4 12' NOMINAL 3-SECTOR DUAL-LEVEL T-ARM KIT, W/ 12 MAST PIPES, 3' STANDOFF & COLLAR			SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY															
A	REVISED BOM TO REMONE LENGTH COLUMN				SP1	ADB	11/26/2024		CPD NO.		DRAWN BY		ENG. APPROVAL		PART NO.		11 OF 17 PAGE									
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE		NCS		ADB 8/26/2025		2/25/2026		SV197-36											
REVISION HISTORY								PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS								CLASS		SUB		DRAWING USAGE		CHECKED BY		DWG. NO.		
								PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.								87		02		CUSTOMER		SDR 2/25/2026		T3D12-3-A4		

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	4	A58234	5/8" x 2-3/4" HDG A325 HEX BOLT	2 3/4 in	0.36	1.42
2	4	A58FW	5/8" HDG A325 FLATWASHER		0.03	0.14
3	4	G58LW	5/8" HDG LOCKWASHER		0.03	0.10
4	4	A58NUT	5/8" HDG A325 HEX NUT		0.13	0.52
					TOTAL WT. #	2.18




FINISH:
HOT DIP GALVANIZED.

	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION HEAVY T3-12-4 12' NOMINAL 3-SECTOR DUAL-LEVEL T-ARM KIT, W/ 12 MAST PIPES, 3' STANDOFF & COLLAR			SITE PRO1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY			PAGE 12 OF 17
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. NCS	DRAWN BY ADB 8/26/2025	ENG. APPROVAL 2/25/2026	PART NO. SV197-HDWE			
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 2/25/2026	DWG. NO. T3D12-3-A4		




PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	X-SP216	LARGE SUPPORT CROSS PLATE		22.08	22.08
2	2	X-UB5458	5/8 X 4-5/8" X 7" X 3" U-BOLT	7 in	1.63	3.25
3	4	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	0.28
4	4	G58LW	5/8" HDG LOCKWASHER		0.03	0.10
5	4	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	0.52
6	4	X-UB1358	1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT	5 1/2 in	0.82	3.27
7	8	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.27
8	8	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.11
9	8	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.57
					TOTAL WT. #	28.84



					TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)	DESCRIPTION HEAVY T3-12-4 12' NOMINAL 3-SECTOR DUAL-LEVEL T-ARM KIT, W/ 12 MAST PIPES, 3' STANDOFF & COLLAR				SITE PRO 1 A valmont COMPANY Engineering Support Team: sp1engineering@valmont.com														
						CPD NO. NCS		DRAWN BY ADB 8/26/2025		ENG. APPROVAL 2/25/2026		PART NO. SP216												
A	REDRAWN IN INV, UPDATED VIEWS & TABLE				SP1	KC8	8/17/2012		PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS				CLASS 87		SUB 02		DRAWING USAGE CUSTOMER		CHECKED BY SDR 2/25/2026		DWG. NO. T3D12-3-A4		13 OF 17 PAGE	
REV	DESCRIPTION OF REVISIONS				CPD	BY	DATE		PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.															
REVISION HISTORY																								

3-1/2" O.D. ANTENNA PIPE
(ORDERED SEPRATELY)



2-7/8" O.D. ANTENNA PIPE
(ORDERED SEPRATELY)

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	SCX4	CROSSOVER PLATE	8 1/2 in	6.02	6.02
5	8	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	0.27
6	8	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.11
4	8	G12NUT	1/2" HDG HEAVY 2H HEX NUT	7/8 in	0.07	0.57
2	2	X-UB1358	1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT	5 1/2 in	0.82	1.64
3	2	X-UB1300	1/2 X 3" X 5" X 2" U-BOLT	5 in	0.74	1.48
TOTAL WT. #						9.92

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
HEAVY T3-12-4
12' NOMINAL 3-SECTOR
DUAL-LEVEL T-ARM KIT,
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR


CPD NO. NCS		DRAWN BY ADB 8/26/2025	ENG. APPROVAL 2/25/2026
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 2/25/2026



Engineering
Support Team:
sp1engineering@valmont.com



PART NO. SCX45-K
DWG. NO. T3D12-3-A4

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	1	P272	2" SCH. 40 PIPE (2.375" O.D. X 0.154" - A53 GR. B Fy=35 ksi min)	72 in	23.07	23.07
2	2	PUCK	DISK CLAMP KIT		6.93	13.86
					TOTAL WT. #	36.93



FINISH:
HOT DIP GALVANIZED.

	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION HEAVY T3-12-4 12' NOMINAL 3-SECTOR DUAL-LEVEL T-ARM KIT, W/ 12 MAST PIPES, 3' STANDOFF & COLLAR			SITE PRO 1 A valmont  COMPANY Engineering Support Team: sp1engineering@valmont.com			15 OF 17 PAGE
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. NCS	DRAWN BY ADB 8/26/2025	ENG. APPROVAL 2/25/2026	PART NO. PUCK-CB-272			
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 2/25/2026	DWG. NO. T3D12-3-A4		



	TOLERANCE NOTES TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$) DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES BENDS AND ANGLES ARE $\pm 1/2$ DEGREE ALL OTHER MACHINING ($\pm 0.030''$) ALL OTHER ASSEMBLY ($\pm 0.060''$)			DESCRIPTION HEAVY T3-12-4 12' NOMINAL 3-SECTOR DUAL-LEVEL T-ARM KIT, W/ 12 MAST PIPES, 3' STANDOFF & COLLAR			SITE PRO 1 Engineering Support Team: sp1engineering@valmont.com A valmont  COMPANY		
	PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS			CPD NO. NCS	DRAWN BY ADB 8/26/2025	ENG. APPROVAL 2/25/2026	PART NO. PUCK-CB-272	PAGE 16 OF 17	
	PROPRIETARY NOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.			CLASS 87	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY SDR 2/25/2026		DWG. NO. T3D12-3-A4

