


| PARTS LIST  |     |             |                                                                                                      |          |         |
|-------------|-----|-------------|------------------------------------------------------------------------------------------------------|----------|---------|
| ITEM        | QTY | PART NO.    | PART DESCRIPTION                                                                                     | UNIT WT. | NET WT. |
| 1           | 2   | FLX4-SD     | FLEXIBLE RING MOUNT 4-SIDED SD ASSEMBLY                                                              | 373.49   | 746.97  |
| 2           | 4   | T3D8-1NC-A3 | HEAVY T1-8-3 8' NOMINAL SINGLE-SECTOR DUAL-LEVEL T-ARM KIT, W/ 3 MAST PIPES, 3' STANDOFF & NO COLLAR | 603.71   | 2414.85 |
| 3           | 4   | PUCK-CB-272 | 2-3/8" X 72" PUCK CORNER BRACE KIT                                                                   | 36.93    | 147.70  |
| TOTAL WT. # |     |             |                                                                                                      |          | 3309.52 |



FINISH:  
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES (± 0.030")  
DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES  
BENDS AND ANGLES ARE ± 1/2 DEGREE  
ALL OTHER MACHINING (± 0.030")  
ALL OTHER ASSEMBLY (± 0.060")

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR

|                |           |                           |                             |
|----------------|-----------|---------------------------|-----------------------------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER | CHECKED BY<br>SDR 2/25/2026 |



Engineering  
Support Team:  
sp1engineering@valmont.com

|                       |                 |
|-----------------------|-----------------|
| PART NO.<br>T3D8-4-A3 | 1 OF 18<br>PAGE |
| DWG. NO.<br>T3D8-4-A3 |                 |



TOP VIEW

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR


|                |           |                           |  |                             |  |
|----------------|-----------|---------------------------|--|-----------------------------|--|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 |  | ENG. APPROVAL<br>2/25/2026  |  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY<br>SDR 2/25/2026 |  |





Engineering  
Support Team:  
sp1engineering@valmont.com

|                       |  |
|-----------------------|--|
| PART NO.<br>T3D8-4-A3 |  |
| DWG. NO.<br>T3D8-4-A3 |  |

| PARTS LIST  |     |           |             |                                            |          |
|-------------|-----|-----------|-------------|--------------------------------------------|----------|
| ITEM        | QTY | PART NO.  | BOX NO.     | PART DESCRIPTION                           | UNIT WT. |
| 1           | 4   | FLX-SDSS  | P-FLX-SDSS  | FLEXIBLE RING MOUNT SINGLE SECTOR ASSEMBLY | 72.51    |
| 2           | 1   | UQB4-HDWE | P-UQB4-HDWE | HARDWARE KIT FOR 4-SIDED SD COLLAR         | 83.43    |
| TOTAL WT. # |     |           |             |                                            | 373.49   |



- NOTES:**
- 1. LOCKNUTS CANNOT BE LOOSEND.
  - 2. TIGHTEN LOCKNUTS AFTER DESIRED POSITION (SEE PAGE 3).
  - 3. FITS 6" X 6" HOLE PATTERN




FINISH:  
HOT DIP GALVANIZED.

|                  |                                         |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                 |                             |  |                       |
|------------------|-----------------------------------------|--|--|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------|--|-----------------|-----------------------------|--|-----------------------|
|                  |                                         |  |  |     | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |            | <div>DESCRIPTION</div> <div>HEAVY T4-8-3<br/>8' NOMINAL 4-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 12 MAST PIPES, 3' STANDOFF &amp; COLLAR</div>                                                                                                 |  |                           |  | <div><div><div>SITE PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |  |                           |  |                 |                             |  |                       |
| B                | UPDATED NOTES AND ADDED CABLE GUIDE REF |  |  | NCS | ADB                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 12/11/2025 | CPD NO.<br>NCS                                                                                                                                                                                                                                  |  | DRAWN BY<br>ADB 8/27/2025 |  | ENG. APPROVAL<br>2/25/2026                                                                                                                                                                                                                      |  | PART NO.<br>FLX4-SD       |  | 3 OF 18<br>PAGE |                             |  |                       |
| A                | CHANGED KIT                             |  |  | SP1 | NSP                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 11/12/2024 | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                 |                             |  |                       |
| REV              | DESCRIPTION OF REVISIONS                |  |  | CPD | BY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | DATE       | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  | CLASS<br>87               |  | SUB<br>02                                                                                                                                                                                                                                       |  | DRAWING USAGE<br>CUSTOMER |  |                 | CHECKED BY<br>SDR 2/25/2026 |  | DWG. NO.<br>T3D8-4-A3 |
| REVISION HISTORY |                                         |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                 |                             |  |                       |

NOTE:  
ENSURE EQUAL DISTANCE  
BETWEEN BRACKETS "X"  
AND AT 90° APART FOR PLATFORMS.

DEVIATION IS ACCEPTABLE  
WITH EOR APPROVAL.



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.




DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR

|                |           |                           |                             |
|----------------|-----------|---------------------------|-----------------------------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER | CHECKED BY<br>SDR 2/25/2026 |



Engineering  
Support Team:  
sp1engineering@valmont.com

|                       |                 |
|-----------------------|-----------------|
| PART NO.<br>FLX4-SD   | PAGE<br>4 OF 18 |
| DWG. NO.<br>T3D8-4-A3 |                 |



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: [WWW.SITEPRO1.COM/PATENTS](http://WWW.SITEPRO1.COM/PATENTS)

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR

|                |           |                           |                             |
|----------------|-----------|---------------------------|-----------------------------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER | CHECKED BY<br>SDR 2/25/2026 |




Engineering  
Support Team:  
[sp1engineering@valmont.com](mailto:sp1engineering@valmont.com)

|                       |
|-----------------------|
| PART NO.<br>FLX4-SD   |
| DWG. NO.<br>T3D8-4-A3 |






NOTE:  
CLAMP RING PIVOT WELDMENT SHOULD BE  
ASSEMBLED IN THE INNER HOLE OF WELDMENT



NOTE:  
FOR TRI-LOCKNUT INSTALLATION, ENSURE  
THE GROOVED SIDE IS ORIENTED AWAY FROM BOLT HEAD

DETAIL A



| PARTS LIST  |     |             |                                |          |         |
|-------------|-----|-------------|--------------------------------|----------|---------|
| ITEM        | QTY | PART NO.    | PART DESCRIPTION               | UNIT WT. | NET WT. |
| 1           | 1   | X-CR-SDW    | FLEXIBLE RING MOUNT            | 42.23    | 42.23   |
| 2           | 2   | X-CR-PW12   | 12" CLAMP RING PIVOT WELDMENT  | 6.93     | 13.85   |
| 3           | 6   | X-CR-AGW    | ANGLE ON WELDMENT              | 2.20     | 13.18   |
| 4           | 8   | G5802       | 5/8" x 2" HDG HEX BOLT GR5     | 0.27     | 2.16    |
| 5           | 8   | G58TRI-LNUT | 5/8" HDG HEAVY 2H TRI-LOCK NUT | 0.14     | 1.10    |
| TOTAL WT. # |     |             |                                |          | 72.51   |

FINISH:  
HOT DIP GALVANIZED.

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR





|                |           |                           |  |                             |  |
|----------------|-----------|---------------------------|--|-----------------------------|--|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 |  | ENG. APPROVAL<br>2/25/2026  |  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY<br>SDR 2/25/2026 |  |



Engineering  
Support Team:  
sp1engineering@valmont.com

|                       |                 |
|-----------------------|-----------------|
| PART NO.<br>FLX-SDSS  | 6 OF 18<br>PAGE |
| DWG. NO.<br>T3D8-4-A3 |                 |

| PARTS LIST  |     |          |                                |          |         |
|-------------|-----|----------|--------------------------------|----------|---------|
| ITEM        | QTY | PART NO. | PART DESCRIPTION               | UNIT WT. | NET WT. |
| 1           | 12  | G58R-24  | 5/8" X 24" THREADED ROD (HDG.) | 2.21     | 26.56   |
| 2           | 12  | G58R-48  | 5/8" X 48" THREADED ROD (HDG.) | 4.43     | 53.12   |
| 3           | 24  | G58LW    | 5/8" HDG LOCKWASHER            | 0.03     | 0.63    |
| 4           | 24  | G58NUT   | 5/8" HDG HEAVY 2H HEX NUT      | 0.13     | 3.12    |
| TOTAL WT. # |     |          |                                |          | 83.43   |



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR



|                |           |                           |                             |
|----------------|-----------|---------------------------|-----------------------------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER | CHECKED BY<br>SDR 2/25/2026 |



Engineering  
Support Team:  
sp1engineering@valmont.com

|                       |                 |
|-----------------------|-----------------|
| PART NO.<br>UQB4-HDWE | PAGE<br>7 OF 18 |
| DWG. NO.<br>T3D8-4-A3 |                 |

CABLE GUIDE REFERENCE



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR


|                |           |                           |  |                            |           |
|----------------|-----------|---------------------------|--|----------------------------|-----------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 |  | ENG. APPROVAL<br>2/25/2026 |           |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY<br>SDR          | 2/25/2026 |



Engineering  
Support Team:  
sp1engineering@valmont.com

|          |                 |
|----------|-----------------|
| PART NO. | CABLE GUIDE REF |
| DWG. NO. | T3D8-4-A3       |




| PARTS LIST |     |          |           |                                                                      |        |             |         |  |
|------------|-----|----------|-----------|----------------------------------------------------------------------|--------|-------------|---------|--|
| ITEM       | QTY | PART NO. | BOX NO.   | PART DESCRIPTION                                                     | LENGTH | UNIT WT.    | NET WT. |  |
| 1          | 2   | SV197-36 |           | 36" SUPPORT ARM KIT                                                  |        | 70.12       | 140.24  |  |
| 2          | 2   | SP216-CK |           | PIPE SUPPORT CROSS PLATE CENTER KIT                                  |        | 47.47       | 94.94   |  |
| 3          | 4   | SCX45-K  | P-SCX45-K | CROSSOVER PLATE KIT 3-1/2" X 2-7/8"                                  |        | 10.09       | 40.36   |  |
| 4          | 3   | P30120   |           | 2 1/2" SCH. 40 PIPE (2.875" O.D. X 0.203" - A53 GR. B Fy=35 ksi min) | 120 in | 61.55       | 184.65  |  |
| 5          | 2   | P3108    |           | 3" SCH. 40 PIPE (3.5" O.D. X 0.226" - A53 GR. B Fy=35 ksi min)       | 108 in | 71.76       | 143.52  |  |
|            |     |          |           |                                                                      |        | TOTAL WT. # | 603.71  |  |



FINISH:  
HOT DIP GALVANIZED.

|  |                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |  |                                                                                                                                     |                                  |                                   |                                                                                                                                  |                 |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------|
|  | <b>TOLERANCE NOTES</b><br><br>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br>SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )<br>DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES<br>LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES<br>BENDS AND ANGLES ARE $\pm 1/2$ DEGREE<br>ALL OTHER MACHINING ( $\pm 0.030"$ )<br>ALL OTHER ASSEMBLY ( $\pm 0.060"$ ) |  |  |  | DESCRIPTION<br><b>HEAVY T4-8-3<br/>8' NOMINAL 4-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 12 MAST PIPES, 3' STANDOFF &amp; COLLAR</b> |                                  |                                   | <div><div>SITE PRO 1</div><div>A valmont COMPANY</div></div> <div>Engineering Support Team:<br/>sp1engineering@valmont.com</div> |                 |
|  | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                                                                                                                                                                           |  |  |  | CPD NO.<br><b>NCS</b>                                                                                                               | DRAWN BY<br><b>ADB 8/27/2025</b> | ENG. APPROVAL<br><b>2/25/2026</b> | PART NO.<br><b>T3D8-1NC-A3</b>                                                                                                   | 9 OF 18<br>PAGE |
|  | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.                                                                                                                                                        |  |  |  | CLASS<br><b>87</b>                                                                                                                  | SUB<br><b>02</b>                 | DRAWING USAGE<br><b>CUSTOMER</b>  | CHECKED BY<br><b>SDR 2/25/2026</b>                                                                                               |                 |
|  |                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |  |                                                                                                                                     |                                  |                                   | DWG. NO.<br><b>T3D8-4-A3</b>                                                                                                     |                 |

NOTE: COLLARS SOLD SEPARATELY  
FLX3-SD OR FLX4-SD



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: [WWW.SITEPRO1.COM/PATENTS](http://WWW.SITEPRO1.COM/PATENTS)

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR



|                |           |                           |                             |
|----------------|-----------|---------------------------|-----------------------------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER | CHECKED BY<br>SDR 2/25/2026 |



Engineering  
Support Team:  
[sp1engineering@valmont.com](mailto:sp1engineering@valmont.com)

|                         |
|-------------------------|
| PART NO.<br>T3D8-1NC-A3 |
| DWG. NO.<br>T3D8-4-A3   |


| PARTS LIST  |     |            |                                        |          |         |
|-------------|-----|------------|----------------------------------------|----------|---------|
| ITEM        | QTY | PART NO.   | PART DESCRIPTION                       | UNIT WT. | NET WT. |
| 1           | 1   | X-SV197-36 | SUPPORT ARM WELDMENT - 36"             | 67.93    | 67.93   |
| 2           | 1   | SV197-HDWE | STANDOFF TO COLLAR ATTACHMENT HARDWARE | 2.18     | 2.18    |
| TOTAL WT. # |     |            |                                        | 70.12    |         |



FINISH:  
HOT DIP GALVANIZED.


|                  |                                     |  |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |                                                                                                                                                 |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                  |                             |  |                       |  |
|------------------|-------------------------------------|--|--|--|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------|--|------------------|-----------------------------|--|-----------------------|--|
|                  |                                     |  |  |  |     | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |            |                                                                                                                                                                                                                                                 | <div>DESCRIPTION</div> <div>HEAVY T4-8-3<br/>8' NOMINAL 4-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 12 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |  |                           |  | <div><div><div>SITE PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |  |                           |  |                  |                             |  |                       |  |
| B                | REVISED TO SUPER ASSEMBLY           |  |  |  | NCS | ADB                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 12/11/2025 | CPD NO.<br>NCS                                                                                                                                                                                                                                  |                                                                                                                                                 |  | DRAWN BY<br>ADB 8/27/2025 |  | ENG. APPROVAL<br>2/25/2026                                                                                                                                                                                                                      |  | PART NO.<br>SV197-36      |  | 11 OF 18<br>PAGE |                             |  |                       |  |
| A                | REVISED BOM TO REMOVE LENGTH COLUMN |  |  |  | SP1 | NSP                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 11/12/2024 | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |                                                                                                                                                 |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                  |                             |  |                       |  |
| REV              | DESCRIPTION OF REVISIONS            |  |  |  | CPD | BY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | DATE       | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |                                                                                                                                                 |  | CLASS<br>87               |  | SUB<br>02                                                                                                                                                                                                                                       |  | DRAWING USAGE<br>CUSTOMER |  |                  | CHECKED BY<br>SDR 2/25/2026 |  | DWG. NO.<br>T3D8-4-A3 |  |
| REVISION HISTORY |                                     |  |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |                                                                                                                                                 |  |                           |  |                                                                                                                                                                                                                                                 |  |                           |  |                  |                             |  |                       |  |

| PARTS LIST |     |          |                                 |          |             |         |
|------------|-----|----------|---------------------------------|----------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                | LENGTH   | UNIT WT.    | NET WT. |
| 1          | 4   | A58234   | 5/8" x 2-3/4" HDG A325 HEX BOLT | 2 3/4 in | 0.36        | 1.42    |
| 2          | 4   | A58FW    | 5/8" HDG A325 FLATWASHER        |          | 0.03        | 0.14    |
| 3          | 4   | G58LW    | 5/8" HDG LOCKWASHER             |          | 0.03        | 0.10    |
| 4          | 4   | A58NUT   | 5/8" HDG A325 HEX NUT           |          | 0.13        | 0.52    |
|            |     |          |                                 |          | TOTAL WT. # | 2.18    |




FINISH:  
HOT DIP GALVANIZED.

|  |                                                                                                                                                                                                                                                                                                                                                                                    |  |  |                                                                                                                                                 |                           |                            |                                                                                                                                           |                  |                       |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------|
|  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (± 0.030")<br/>DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE ± 1/2 DEGREE<br/>ALL OTHER MACHINING (± 0.030")<br/>ALL OTHER ASSEMBLY (± 0.060")</div> |  |  | <div>DESCRIPTION</div> <div>HEAVY T4-8-3<br/>8' NOMINAL 4-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 12 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |                           |                            | <div><div><div>SITE PRO1</div><div>Engineering Support Team:<br/>sp1engineering@valmont.com</div></div><div>A valmont COMPANY</div></div> |                  |                       |
|  | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                                                                                                                                                       |  |  | CPD NO.<br>NCS                                                                                                                                  | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026 | PART NO.<br>SV197-HDWE                                                                                                                    | PAGE<br>12 OF 18 |                       |
|  | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.                                                                                                                                    |  |  | CLASS<br>87                                                                                                                                     | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER  | CHECKED BY<br>SDR 2/25/2026                                                                                                               |                  | DWG. NO.<br>T3D8-4-A3 |





| PARTS LIST |     |          |         |                                            |           |             |         |
|------------|-----|----------|---------|--------------------------------------------|-----------|-------------|---------|
| ITEM       | QTY | PART NO. | BOX NO. | PART DESCRIPTION                           | LENGTH    | UNIT WT.    | NET WT. |
| 1          | 1   | SP216    | P-SP216 | LARGE PIPE SUPPORT CROSS PLATE             |           | 30.46       | 30.46   |
| 2          | 1   | SCX3     |         | CROSSOVER PLATE                            | 9 1/4 in  | 7.19        | 7.19    |
| 3          | 2   | X-100064 |         | CLAMP (4" V-CLAMP) GALVANIZED              | 6 in      | 0.92        | 1.84    |
| 4          | 2   | X-115765 |         | 5" V-CLAMP                                 | 7 1/16 in | 1.09        | 2.17    |
| 5          | 12  | G12065   |         | 1/2" x 6-1/2" HDG HEX BOLT GR5 FULL THREAD | 6 1/2 in  | 0.41        | 4.91    |
| 6          | 16  | G12FW    |         | 1/2" HDG USS FLATWASHER                    | 3/32 in   | 0.03        | 0.55    |
| 7          | 4   | G12LW    |         | 1/2" HDG LOCKWASHER                        | 1/8 in    | 0.01        | 0.06    |
| 8          | 4   | G12NUT   |         | 1/2" HDG HEAVY 2H HEX NUT                  | 7/8 in    | 0.07        | 0.29    |
|            |     |          |         |                                            |           | TOTAL WT. # | 47.11   |




NO MOUNT PIPE VIEW

|                  |                          |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |  |  |                                                                                                                                                                                                                                                 |                           |                            |                             |                  |                       |
|------------------|--------------------------|--|--|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------|-----------------------------|------------------|-----------------------|
|                  |                          |  |  |     | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |            | <div>DESCRIPTION</div> <div>HEAVY T4-8-3<br/>8' NOMINAL 4-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 12 MAST PIPES, 3' STANDOFF &amp; COLLAR</div>                                                                                                 |  |  | <div><div><div>SITE PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |                           |                            |                             |                  |                       |
| A                | UPDATED TO SUPER         |  |  | NCS | CSL                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 12/30/2025 | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  |  | CPD NO.<br>NCS                                                                                                                                                                                                                                  | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026 | PART NO.<br>SP216-CK        | 13 OF 18<br>PAGE |                       |
| REV              | DESCRIPTION OF REVISIONS |  |  | CPD | BY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | DATE       | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  |  | CLASS<br>87                                                                                                                                                                                                                                     | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER  | CHECKED BY<br>SDR 2/25/2026 |                  | DWG. NO.<br>T3D8-4-A3 |
| REVISION HISTORY |                          |  |  |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |  |  |                                                                                                                                                                                                                                                 |                           |                            |                             |                  |                       |



3-1/2" O.D. ANTENNA PIPE  
(ORDERED SEPRATELY)



2-7/8" O.D. ANTENNA PIPE  
(ORDERED SEPARATELY)

| PARTS LIST  |     |          |                                    |          |          |         |
|-------------|-----|----------|------------------------------------|----------|----------|---------|
| ITEM        | QTY | PART NO. | PART DESCRIPTION                   | LENGTH   | UNIT WT. | NET WT. |
| 1           | 1   | SCX4     | CROSSOVER PLATE                    | 8 1/2 in | 6.02     | 6.02    |
| 5           | 8   | G12FW    | 1/2" HDG USS FLATWASHER            | 3/32 in  | 0.03     | 0.27    |
| 6           | 8   | G12LW    | 1/2" HDG LOCKWASHER                | 1/8 in   | 0.01     | 0.11    |
| 4           | 8   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT          | 7/8 in   | 0.07     | 0.57    |
| 2           | 2   | X-UB1358 | 1/2" X 3-5/8" X 5-1/2" X 3" U-BOLT | 5 1/2 in | 0.82     | 1.64    |
| 3           | 2   | X-UB1300 | 1/2 X 3" X 5" X 2" U-BOLT          | 5 in     | 0.74     | 1.48    |
| TOTAL WT. # |     |          |                                    |          |          | 9.92    |

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR


|                |           |                           |                             |
|----------------|-----------|---------------------------|-----------------------------|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER | CHECKED BY<br>SDR 2/25/2026 |



Engineering  
Support Team:  
sp1engineering@valmont.com



|                       |
|-----------------------|
| PART NO.<br>SCX45-K   |
| DWG. NO.<br>T3D8-4-A3 |

| PARTS LIST |     |          |                                                                  |        |             |         |
|------------|-----|----------|------------------------------------------------------------------|--------|-------------|---------|
| ITEM       | QTY | PART NO. | PART DESCRIPTION                                                 | LENGTH | UNIT WT.    | NET WT. |
| 1          | 1   | P272     | 2" SCH. 40 PIPE (2.375" O.D. X 0.154" - A53 GR. B Fy=35 ksi min) | 72 in  | 23.07       | 23.07   |
| 2          | 2   | PUCK     | DISK CLAMP KIT                                                   |        | 6.93        | 13.86   |
|            |     |          |                                                                  |        | TOTAL WT. # | 36.93   |



FINISH:  
HOT DIP GALVANIZED.

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                                                                                                                                                 |                           |                            |                                                                                                                                                                                                                                                 |                       |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
|  | <div>TOLERANCE NOTES</div> <div>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br/>SAWED, SHEARED AND GAS CUT EDGES (<math>\pm 0.030''</math>)<br/>DRILLED AND GAS CUT HOLES (<math>\pm 0.030''</math>) - NO CONING OF HOLES<br/>LASER CUT EDGES AND HOLES (<math>\pm 0.010''</math>) - NO CONING OF HOLES<br/>BENDS AND ANGLES ARE <math>\pm 1/2</math> DEGREE<br/>ALL OTHER MACHINING (<math>\pm 0.030''</math>)<br/>ALL OTHER ASSEMBLY (<math>\pm 0.060''</math>)</div> |  | <div>DESCRIPTION</div> <div>HEAVY T4-8-3<br/>8' NOMINAL 4-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 12 MAST PIPES, 3' STANDOFF &amp; COLLAR</div> |                           |                            | <div><div><div>SITE PRO</div><div>1</div></div><div>Engineering<br/>Support Team:<br/>sp1engineering@valmont.com</div></div> <div>A valmont  COMPANY</div> |                       |
|  | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | CPD NO.<br>NCS                                                                                                                                  | DRAWN BY<br>ADB 8/27/2025 | ENG. APPROVAL<br>2/25/2026 | PART NO.<br>PUCK-CB-272                                                                                                                                                                                                                         |                       |
|  | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.                                                                                                                                                                                                                                   |  | CLASS<br>87                                                                                                                                     | SUB<br>02                 | DRAWING USAGE<br>CUSTOMER  | CHECKED BY<br>SDR 2/25/2026                                                                                                                                                                                                                     | DWG. NO.<br>T3D8-4-A3 |
|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | 16 OF 18<br>PAGE                                                                                                                                |                           |                            |                                                                                                                                                                                                                                                 |                       |



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:  
SAWED, SHEARED AND GAS CUT EDGES ( $\pm 0.030"$ )  
DRILLED AND GAS CUT HOLES ( $\pm 0.030"$ ) - NO CONING OF HOLES  
LASER CUT EDGES AND HOLES ( $\pm 0.010"$ ) - NO CONING OF HOLES  
BENDS AND ANGLES ARE  $\pm 1/2$  DEGREE  
ALL OTHER MACHINING ( $\pm 0.030"$ )  
ALL OTHER ASSEMBLY ( $\pm 0.060"$ )

PATENT INFORMATION: [WWW.SITEPRO1.COM/PATENTS](http://WWW.SITEPRO1.COM/PATENTS)

PROPRIETARY NOTE:  
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION  
HEAVY T4-8-3  
8' NOMINAL 4-SECTOR  
DUAL-LEVEL T-ARM KIT,  
W/ 12 MAST PIPES, 3' STANDOFF & COLLAR

|                |           |                           |  |                             |  |
|----------------|-----------|---------------------------|--|-----------------------------|--|
| CPD NO.<br>NCS |           | DRAWN BY<br>ADB 8/27/2025 |  | ENG. APPROVAL<br>2/25/2026  |  |
| CLASS<br>87    | SUB<br>02 | DRAWING USAGE<br>CUSTOMER |  | CHECKED BY<br>SDR 2/25/2026 |  |

SITE  
PRO



1

A valmont COMPANY

Engineering  
Support Team:  
sp1engineering@valmont.com

|                         |                  |
|-------------------------|------------------|
| PART NO.<br>PUCK-CB-272 | PAGE<br>17 OF 18 |
| DWG. NO.<br>T3D8-4-A3   |                  |

| PARTS LIST  |     |          |                                            |          |          |
|-------------|-----|----------|--------------------------------------------|----------|----------|
| ITEM        | QTY | PART NO. | PART DESCRIPTION                           | LENGTH   | UNIT WT. |
| 1           | 1   | X-127594 | FLAT DISK CLAMP PLATE 4" CENTERS (GALV.)   |          | 2.51     |
| 2           | 2   | SCP      | CLAMP HALF, 1/2" x 5-3/4"                  |          | 1.29     |
| 3           | 2   | G12065   | 1/2" x 6-1/2" HDG HEX BOLT GR5 FULL THREAD | 6 1/2 in | 0.41     |
| 4           | 2   | G1204    | 1/2" x 4" HDG HEX BOLT GR5 FULL THREAD     | 4 in     | 0.27     |
| 5           | 4   | G12FW    | 1/2" HDG USS FLATWASHER                    | 3/32 in  | 0.03     |
| 6           | 4   | G12LW    | 1/2" HDG LOCKWASHER                        | 1/8 in   | 0.01     |
| 7           | 4   | G12NUT   | 1/2" HDG HEAVY 2H HEX NUT                  | 7/8 in   | 0.07     |
| TOTAL WT. # |     |          |                                            |          | 6.93     |



|                  |                                         |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                   |            |                                                                                                                                                                                                                                                 |  |               |                                                                                                                                                                                                                                  |               |  |               |  |                  |            |          |          |               |  |           |  |
|------------------|-----------------------------------------|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--|---------------|--|------------------|------------|----------|----------|---------------|--|-----------|--|
|                  |                                         |  |  | <b>TOLERANCE NOTES</b><br><br>TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:<br>SAWED, SHEARED AND GAS CUT EDGES ( <i>± 0.030"</i> )<br>DRILLED AND GAS CUT HOLES ( <i>± 0.030"</i> ) - NO CONING OF HOLES<br>LASER CUT EDGES AND HOLES ( <i>± 0.010"</i> ) - NO CONING OF HOLES<br>BENDS AND ANGLES ARE ± 1/2 DEGREE<br>ALL OTHER MACHINING ( <i>± 0.030"</i> )<br>ALL OTHER ASSEMBLY ( <i>± 0.060"</i> ) |            | <div>DESCRIPTION</div> <div>HEAVY T4-8-3<br/>8' NOMINAL 4-SECTOR<br/>DUAL-LEVEL T-ARM KIT,<br/>W/ 12 MAST PIPES, 3' STANDOFF &amp; COLLAR</div>                                                                                                 |  |               | <div><div><div>SITE PRO 1</div><div>A valmont  COMPANY</div></div><div>Engineering Support Team:<br/>sp1engineering@valmont.com</div></div> |               |  |               |  |                  |            |          |          |               |  |           |  |
| B                | UPDATED NOTES AND ADDED CABLE GUIDE REF |  |  | ADB                                                                                                                                                                                                                                                                                                                                                                                                               | 12/11/2025 | CPD NO.                                                                                                                                                                                                                                         |  | DRAWN BY      |                                                                                                                                                                                                                                  | ENG. APPROVAL |  | PART NO.      |  | 18 OF 18<br>PAGE |            |          |          |               |  |           |  |
| A                | CHANGED KIT                             |  |  | NSP                                                                                                                                                                                                                                                                                                                                                                                                               | 11/12/2024 | NCS                                                                                                                                                                                                                                             |  | ADB 8/27/2025 |                                                                                                                                                                                                                                  | 2/25/2026     |  | PUCK          |  |                  |            |          |          |               |  |           |  |
| REV              | DESCRIPTION OF REVISIONS                |  |  | BY                                                                                                                                                                                                                                                                                                                                                                                                                | DATE       | PATENT INFORMATION: WWW.SITEPRO1.COM/PATENTS                                                                                                                                                                                                    |  | CLASS         |                                                                                                                                                                                                                                  | SUB           |  | DRAWING USAGE |  |                  | CHECKED BY |          | DWG. NO. |               |  |           |  |
| REVISION HISTORY |                                         |  |  |                                                                                                                                                                                                                                                                                                                                                                                                                   |            | PROPRIETARY NOTE:<br>THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED. |  |               |                                                                                                                                                                                                                                  |               |  | 87            |  | 02               |            | CUSTOMER |          | SDR 2/25/2026 |  | T3D8-4-A3 |  |